Brullet-Benedi E. (*see* Romero-Castro et al). 2013; 78:711–21
Bryant RV, Kuo P, Williamson K, Yam C, Schoeman MN, Holloway RH, Nguyen NQ. Performance of the Glasgow-Blatchford score in predicting clinical outcomes and intervention in hospitalized patients with upper GI bleeding., 2013; 78:576–83
Buerlein RC. (*see* Parekh et al). 2013; 78:836–41 (Review article)
Bujanda L. (*see* Álvarez et al). 2013; 78:333–41
Burgess NG, Bourke MJ, Byth K. Prophylactic clip closure., 2013; 78:386–7 (Letters to the Editor)
Burke C. (*see* Choi et al). 2013; 78:325–32
Burra P. (*see* Nadal et al). 2013; 78:964–5 (Letters to the editor)
Buscaglia JM. "Drivers ed" with a road test for the capsule endoscopist., 2013; 78:623–4 (Editorial)
Butt M. (*see* Navaneethan et al). 2013; 78:81–90
Byth K. (*see* Burgess et al). 2013; 78:386–7 (Letters to the Editor)

C

Cacho G. (*see* Álvarez et al). 2013; 78:333–41
Cai M-Y. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Caldera F. (*see* Walker et al). 2013; 78:654–5 (At the focal point)
Capocelli KE. (*see* Sheiko et al). 2013; 78:47–54
Cappell MS, Co M. Endoscopes for endoscopists with small hands: a call to meet an unmet demand., 2013; 78:670–2 (Letter to the Editor)
Carballo F. (*see* Álvarez et al). 2013; 78:333–41
Carrillo-Palau M. (*see* Álvarez et al). 2013; 78:333–41
Caruso A. (*see* Manno et al). 2013; 78:556 (Letter to the Editor)
Castells A. (*see* Álvarez et al). 2013; 78:333–41
Caunedo-Alvarez A. (*see* Romero-Castro et al). 2013; 78:711–21
Cave DR. (*see* Choi et al). 2013; 78:325–32
Cennamo V. (*see* Fuccio et al). 2013; 78:596–608
Chae HB. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Chand B. (*see* Pratharvanich et al). 2013; 78:816 (VideoGIE)
Chander Roland B. (*see* Khashab et al). 2013; 78:764–8 (Thinking outside the box)
Chandra S. AIMS65 score predicts short-term mortality but not the need for intervention in acute upper GI bleeding., 2013; 78:381–2 (Letter to the Editor)
Chandran S, Testro A. Risk stratification by using an esophageal capsule., 2013; 78:672–3 (Letter to the Editor)
Chang C-W. (*see* Wang H-Y et al). 2013; 78:940–1 (At the focal point)
Chari ST. (*see* Fujii et al). 2013; 78:854–3
Charles R. (*see* Choi et al). 2013; 78:325–32
Chaussade S. (*see* Leblanc et al). 2013; (*see* Alatawi et al). 2013; 78:169–75 (Case studies); 78:179–83 (Case study)
Chavalitdhamrong D. (*see* Draganov et al). 2013; 78:677–88 (Technical review)
Cheesman AR. (*see* Gómez et al). 2013; 78:744–9
Chen AM. (*see* Park et al). 2013; 78:295–302
Chen HC. (*see* Tee et al). 2013; 78:542–3 (At the focal point)
Chen HC, Tee CT, Segarajasingam DS, Raftopoulos SC, Yusoff IF. Intramural gastric abscess from dropped gallstones presenting as a subepithelial lesion (with video)., 2013; 78:781–2 (At the focal point)
Chen M-J. (*see* Wang H-Y et al). 2013; 78:940–1 (At the focal point)
Chen P-J, Hsieh T-Y. Carbon dioxide insufflation for colonoscopy., 2013; 78:799–800 (Letter to the Editor)
Chen W-F. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Chen Y-B. (*see* Wang H-Y et al). 2013; 78:940–1 (At the focal point)
Chen YK. (*see* Brauer et al). 2013; 78:545–9 (Case study)
Cheong JY. (*see* Lee et al). 2013; 78:930–3 (New methods: Clinical Endoscopy)
Cho JY. (*see* Han et al). 2013; 78:956–61 (Case study)
Cho YK. (*see* No et al). 2013; 78:55–62
Choi EH, Mergener K, Semrad C, Fisher L, Cave DR, Dodig M, Burke C, Leighton JA, Kastenberg D, Simpson P, Sul J, Bhattacharya K, Charles R, Gerson L, Weber L, Eisen G, Reidel W, Vargo JJ, Wakim-Fleming J, Lo SK. A multicenter, prospective, randomized comparison of a novel signal transmission capsule endoscope to an existing capsule endoscope., 2013; 78:325–32
Choi J-H, Seo D-W, Choi JH, Park DH, Lee SS, Lee SK, Kim M-H. Utility of contrast-enhanced harmonic EUS in the diagnosis of malignant gallbladder polyps (with videos)., 2013; 78:484–93 (Case study)
Choi JH. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Choi KY. (*see* No et al). 2013; 78:55–62
Choi M-G. (*see* No et al). 2013; 78:55–62
Choi MH. (*see* Han et al). 2013; 78:956–61 (Case study)
Christophorou D. (*see* Valats J-C et al). 2013; 78:183–7 (Case study)
Chuttani R. (*see* Jung et al). 2013; 78:756–62
Cisarò F. (*see* Repici et al). 2013; 78:106–14
Clarke JO. (*see* Kim et al). 2013; (*see* Khashab et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:764–8 (Thinking outside the box)
Co M. (*see* Cappell et al). 2013; 78:670–2 (Letter to the Editor)
Conigliaro R. (*see* Manno et al). 2013; 78:556 (Letter to the Editor)
Coppola R. (*see* Di Matteo et al). 2013; 78:750–5
Coriat R. (*see* Leblanc et al). 2013; 78:169–75 (Case studies)
Correale L. (*see* Fuccio et al). 2013; 78:596–608
Cortés J. (*see* Dinis Silva et al). 2013; 78:782–3 (At the focal point)
Costamagna G. (*see* Fuccio et al). 2013; (*see* Di Matteo et al). 2013; 78:596–608; 78:750–5
Cramer HM. (*see* Al-Haddad et al). 2013; 78:165–7 (At the focal point)
Cruzado J. (*see* Álvarez et al). 2013; 78:333–41
Cubiella J. (*see* Álvarez et al). 2013; 78:333–41
Curcio G. (*see* Granata et al). 2013; 78:451 (VideoGIE)

D

Davenport MS. (*see* D'Souza et al). 2013; 78:942–4 (At the focal point)
Davila M. (*see* Lee et al). 2013; 78:312–24
Dawwas MF, Taha H, Leeds JS, Nayar MK, Oppong KW. Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms., 2013; 78:189–90 (Letter to the editor)
De Angelis C. (*see* Repici et al). 2013; 78:106–14
de Farias MLF. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
de la Serna-Higuera C. (*see* Alcaide et al). 2013; 78:941–2 (At the focal point)
Debreceni TL. (*see* Nguyen et al). 2013; 78:892–901
DeBritto J. (*see* Rajan et al). 2013; 78:617–22
Deenadayalu VP. When is a fair bowel preparation fair enough?, 2013; 78:517–9 (Editorial)
Demas Alvares Cabral MM. (*see* Arantes et al). 2013; 78:946–52 (Case study)
Demyen M. (*see* Samiullah et al). 2013; 78:962–3 (Letter to the Editor)
Denzer UW, von Renteln D, Lübke A, Heinemann A, Rösch T, Püschel K, Karbe T. Minimally invasive autopsy by using postmortem endoluminal and transluminal endoscopy and EUS., 2013; 78:774–80 (New methods: Experimental Endoscopy)
Deprez PH. Esophageal strictures after extensive endoscopic resection: hope for a better outcome?, 2013; 78:258–9 (Editorial)
Desai J, Granger CB, Weitz JI, Aisenberg J. Novel oral anticoagulants in gastroenterology practice., 2013; 78:227–39 (Review article)
Desai M. (*see* Kumar et al). 2013; 78:902–9
Devière J. (*see* Huberty et al). 2013; (*see* Huberty et al). 2013; (*see* Ibrahim et al). 2013; 78:556–7 (Letter to the Editor); 78:669 (Letters to the Editor); 78:769–73 (New methods: Clinical Endoscopy)
DeWitt J. (*see* Khashab et al). 2013; 78:102–5 (Editorial)
DeWitt JM. (*see* Siddiqui et al). 2013; 78:589–95
Dhir V. (*see* Maydeo et al). 2013; 78:494–5 (Editorial)
Dhooge M. (*see* Leblanc et al). 2013; 78:169–75 (Case studies)
Díaz Tasende J. (*see* Álvarez et al). 2013; 78:333–41
Di Giorgio J. (*see* Baptista et al). 2013; 78:192 (Letter to the editor)
Di Matteo F, Martino M, Rea R, Pandolfi M, Panzera F, Stigliano E, Schena E, Saccomandi P, Silvestri S, Pacella CM, Breschi L, Perrone G, Coppola R, Costamagna G. US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation., 2013; 78:750–5
Dişibeyaz S. (*see* Köksal AŞ et al). 2013; 78:668–9 (Letters to the Editor)
Dib J. (*see* Baptista et al). 2013; 78:192 (Letter to the editor)
Diehl DL. (*see* Pineda Bonilla et al). 2013; (*see* Johal et al). 2013; 78:540–1 (At the focal point); 78:544 (At the focal point)
Dierkhising RA. (*see* Rajan et al). 2013; 78:617–22
Dijksman JF. (*see* van der Schaar et al). 2013; 78:520–8
Dinis Silva J, Pinto Marques P, Brito MJ, Cortés J, Senhorinho R, Herédia V, Nunes A. Large-cell neuroendocrine lung tumor presenting as acute pancreatitis., 2013; 78:782–3 (At the focal point)
Dinis-Ribeiro M. Gastrointestinal bleeding., 2013; 78:434–8 (DDW Highlights)
Dinneen HS. (*see* Samiullah et al). 2013; 78:962–3 (Letter to the Editor)
Dlugosz A. (*see* Tanaka et al). 2013; 78:659–64 (Case study)
Dodig M. (*see* Choi et al). 2013; 78:325–32
Domagk D. (*see* Negm et al). 2013; 78:303–11
Doran H. Endoscopic view of malignant melanoma of the rectum., 2013; 78:785–6 (At the focal point)
Dorandeu A. (*see* Valats J-C et al). 2013; 78:183–7 (Case study)
Draganov PV, Gotoda T, Chavalitdhamrong D, Wallace MB. Techniques of endoscopic submucosal dissection: application for the Western endoscopist?, 2013; 78:677–88 (Technical review)
Drew K. (*see* Sidhu et al). 2013; 78:800–1 (Letter to the Editor)

D'Souza SL, Davenport MS, Elta GH. Biliary stricture secondary to portal biliopathy., 2013; 78:942–4 (At the focal point)
DuBay D. (*see* Mönkemüller et al). 2013; 78:383–85 (Letters to the Editor)
Duchmann J-C. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Dulai PS, Gordon SR, Rothstein RI. Postablative stricture formation in ultra-long-segment Barrett's esophagus., 2013; 78:191 (Letter to the editor)
Dumot JA. (*see* Salah et al). 2013; 78:574 (Videogie)

E

Eberl S. (*see* Verlaan et al). 2013; 78:39–44
Eckhoff D. (*see* Mönkemüller et al). 2013; 78:383–85 (Letters to the Editor)
Edmundowicz SA. (*see* Gaddam et al). 2013; 78:421–7 (DDW Highlights)
Eisen G. (*see* Choi et al). 2013; 78:325–32
Eisen G, on behalf of Raju GS, Baron T. VideoGIE – Launch!, 2013; 78:225 (Editorial)
El-Halabi MM. (*see* Sharara et al). 2013; 78:886–91
El-Mikkawy A. (*see* Ibrahim et al). 2013; 78:769–73 (New methods: Clinical Endoscopy)
Eleftheriadis N, Inoue H, Ikeda H, Onimaru M, Yoshida A, Hosoya T, Maselli R, Hamatani S, Kudo S-e. Endoscopic submucosal dissection for primary malignant esophageal melanoma (with video)., 2013; 78:359–60 (At the focal point)
Eleftheriadis N. (*see* Maselli et al). 2013; 78:551–3 (Letter to the Editor)
Eleftheriadis N, Inoue H, Ikeda H, Onimaru M, Yoshida A, Maselli R, Santi G, Kudo S-e. In vivo observation of aberrant innermost longitudinal muscle bundles in front of the circular muscle layer at the level of the esophagogastric junction during peroral endoscopic myotomy., 2013; 78:676 (VideoGIE)
Ell C. (*see* Pohl et al). 2013; 78:609–16
Elliott EE. (*see* Menees et al). 2013; 78:510–6
Ellrichmann M. (*see* Romero-Castro et al). 2013; 78:711–21
Elmunzer BJ. (*see* Bedi et al). 2013; 78:696–701
Eloubeidi MA. (*see* Siddiqui et al). 2013; 78: 589–95
Elta GH. (*see* Jorgensen et al). 2013; (*see* Bedi et al). 2013; (*see* Da'Souza et al). 2013; 78:503–9; 78:696–701; 78:942–4 (At the focal point)
Emura F, Baron TH, Gralnek IM. The pharynx: examination of an area too often ignored during upper endoscopy., 2013; 78:143–9 (Thinking outside the box)
Enestvedt BK, Lugo R, Guarner-Argente C, Shah P, Falk GW, Furth E, Ginsberg GG. Location, location, location: does early cancer in Barrett's esophagus have a preference?, 2013; 78:462–7
Enns R, Lee S. Preventing post-ERCP pancreatitis., 2013; 78:851–3 (Editorial)
Enriquéz-Navascués JM. (*see* Álvarez et al). 2013; 78:333–41
Estévez P. (*see* Álvarez et al). 2013; 78:333–41

F

Fabbri C. (*see* Fuccio et al). 2013; 78:596–608
Fahrtash-Bahin F, Holt BA, Jayasekeran V, Williams SJ, Sonson R, Bourke MJ. Snare tip soft coagulation achieves effective and safe endoscopic hemostasis during wide-field endoscopic resection of large colonic lesions (with videos)., 2013; 78:158–63 (New methods: Clinical Endoscopy)
Faigel DO. (*see* Hsieh T-H et al). 2013; 78:944–5 (At the focal point)
Falk GW. (*see* Enestvedt et al). 2013; 78:462–7
Farnell MB. (*see* Fujii et al). 2013; 78:854–64
Faulx AL. (*see* Anastassiades et al). 2013; 78:541–2 (At the focal point)
Feinstein JA. (*see* Sheiko et al). 2013; 78:47–54
Ferrández Á (*see* Álvarez et al). 2013; 78:333–41
Fioritto A. (*see* Kumar et al). 2013; 78:902–9
Fisher L. (*see* Choi et al). 2013; 78:325–32
Fitch WL. (*see* Park et al). 2013; 78:295–302
Fleming JB. (*see* Wang et al). 2013; 78:73–80
Fockens P. (*see* Verlaan et al). 2013; 78:39–44
Freedberg DE, Garcia-Carrasquillo RJ, Schwartz B, Rosenberg RM. A technique for skin-level gastrostomy tube placement after gastrostomy tube dislodgement., 2013; 78:963–4 (Letters to the Editor)
Freitas Dias CA. (*see* Arantes et al). 2013; 78:946–52 (Case study)
Friedland S. (*see* Park et al). 2013; 78:295–302
Frimberger E. (*see* Pohl et al). 2013; 78:609–16
Fritscher-Ravens A. (*see* Romero-Castro et al). 2013; 78:711–21
Fry LC. (*see* Neumann et al). 2013; 78:115–20
Fuccio L, Hassan C, Laterza L, Correale L, Pagano N, Bocus P, Fabbri C, Maimone A, Cennamo V, Repici A, Costamagna G, Bazzoli F, Larghi A. The role of K-*ras* gene mutation analysis in EUS-guided FNA cytology specimens for the differential diagnosis of pancreatic solid masses: a meta-analysis of prospective studies., 2013; 78:596–608
Fujii L, Onkendi EO, Bingener-Casey J, Levy MJ, Gostout CJ. Dual-scope endoscopic deep dissection of proximal gastric tumors (with video)., 2013; 78:365–9 (Case study)
Fujii LL, Bonin EA, Baron TH, Gostout CJ, Wong Kee Song LM. Utility of an endoscopic suturing system for prevention of covered luminal stent migration in the upper GI tract., 2013; 78:787–92 (Case studies)
Fujii LL, Topazian MD, Abu Dayyeh BK, Baron TH, Chari ST, Farnell MB, Gleeson FC, Gostout CJ, Kendrick ML, Pearson RK, Petersen BT, Truty MJ, Vege SS, Levy MJ. EUS-guided pancreatic duct intervention: outcomes of a single tertiary-care referral center experience., 2013; 78:854–64
Fukami N. What we want for ESD is a second hand! Traction method., 2013; 78:274–6 (Editorial)
Fukushima M, Kawanami C, Inoue S, Imai Y, Inokuma T. Enteropathy-associated T-cell lymphoma diagnosed and followed-up by using double-balloon enteroscopy., 2013; 78:361–3 (At the focal point)
Funakoshi N. (*see* Valats J-C et al). 2013; 78:183–7 (Case study)
Furth E. (*see* Enestvedt et al). 2013; 78:462–7

G

Gaddam S, Edmundowicz SA. Endoscopic tumor diagnosis and treatment., 2013; 78:421–7 (DDW Highlights)
Gaddam S. (*see* Singh et al). 2013; 78:689–95
Garcia-Carrasquillo RJ. (*see* Freedberg et al). 2013; 78:963–4 (Letters to the Editor)
Gaudric M. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Gerson L. (*see* Choi et al). 2013; 78:325–32
Gerson LB. Capsule endoscopy and deep enteroscopy., 2013; 78:439–43 (DDW Highlights)
Gil İ. (*see* Álvarez et al). 2013; 78:333–41
Ginsberg GG. (*see* Enestvedt et al). 2013; 78:462–7
Giovannini M. EUS-guided pancreatic duct drainage: ready for prime time?, 2013; 78:865–7 (Editorial)
Giovannini M. (*see* Widmer et al). 2013; 78:638–41 (The fellows' corner)
Gleeson FC. (*see* Fujii et al). 2013; 78:854–64
Goeppinger SR. (*see* Rubin et al). 2013; 78:669–70 (Letter to the Editor)
Gómez V, Cheesman AR, Heckman MG, Rawal B, Stark ME, Lukens FJ. Safety of capsule endoscopy in the octogenarian as compared with younger patients., 2013; 78:744–9
González-Rubio F. (*see* Álvarez et al). 2013; 78:333–41
Good CW. (*see* Johal et al). 2013; 78:544 (At the focal point)
Gordon SR. (*see* Dulai et al). 2013; 78:191 (Letter to the editor)
Gornals JB. (*see* Romero-Castro et al). 2013; 78:711–21
Gosain S, Mercer K, Twaddell WS, Uradomo L, Greenwald BD. Liquid nitrogen spray cryotherapy in Barrett's esophagus with high-grade dysplasia: long-term results., 2013; 78:260–5
Gostout CJ. (*see* Fujii et al). 2013; (*see* Abu Dayyeh et al). 2013; (*see* Rajan et al). 2013; (*see* Fujii et al). 2013; (*see* Fujii et al). 2013; 78:365–9 (Case study); 78:530–5 (New methods: Clinical Endoscopy); 78:617–22; 78:787–92 (Case studies); 78:854–64
Goto O. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Gotoda T. (*see* Draganov et al). 2013; (*see* Itoi et al). 2013; 78:677–88 (Technical review); 78:934–9 (New methods: Experimental Endoscopy)
Gralnek IM. (*see* Emura et al). 2013; 78:143–9 (Thinking outside the box)
Granata A, Curcio G, Azzopardi N, Barresi L, Tarantino I, Traina M. Hemostatic powder as rescue therapy in a patient with H1N1 influenza with uncontrolled colon bleeding., 2013; 78:451 (VideoGIE)
Granger CB. (*see* Desai et al). 2013; 78:227–39 (Review article)
Grau J. (*see* Álvarez et al). 2013; 78:333–41
Graustein BB. (*see* Menees et al). 2013; 78:510–6
Greenwald BD. (*see* Gosain et al). 2013; 78:260–5
Gromski MA. (*see* Jung et al). 2013; 78:756–62
Gruss H-J. (*see* Halphen et al). 2013; 78:121–31
Guarner-Argente C. (*see* Enestvedt et al). 2013; 78:462–7
Guedes EP. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
Gunaratnam N. (*see* Kumar et al). 2013; 78:902–9
Günther C. (*see* Neumann et al). 2013; 78:115–20
Gupta N. (*see* Singh et al). 2013; 78:689–95
Gupta R. (*see* Tandan et al). 2013; 78:726–33
Gutierrez NG. (*see* Navaneethan et al). 2013; 78:81–90
Guzmán Jr., MA. (*see* Baptista et al). 2013; 78:192 (Letter to the editor)

H

Halphen M, Heresbach D, Gruss H-J, Belsey J. Validation of the Harefield Cleansing Scale: a tool for the evaluation of bowel cleansing quality in both research and clinical practice., 2013; 78:121–31
Hamada T, Nakai Y, Isayama H, Saito K, Kogure H, Sasaki T, Yamamoto N, Hirano K, Tada M, Koike K. Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation., 2013; 78:817 (VideoGIE)
Hamada T. (*see* Uchino et al). 2013; 78:842–50
Hamatani S. (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point)
Han H-S. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Han J-H. (*see* Park et al). 2013; 78:655–6 (At the focal point)

Han JP, Hong SJ, Choi MH, Song J-Y, Kim HK, Ko BM, Cho JY, Lee JS, Lee MS. Clinical outcomes of early gastric cancer with lateral margin positivity after endoscopic submucosal dissection., 2013; 78:956–61 (Case study)
Hansel SL. (*see* Rajan et al). 2013; 78:617–22
Hanslik B. (*see* Valats J-C et al). 2013; 78:183–7 (Case study)
Haruyama S. (*see* Nonaka et al). 2013; 78:63–72
Hasan MK, Hawes R, Varadarajulu S. Gastric heterotopic pancreas abscess leading to gastric outlet obstruction., 2013; 78:550–1 (Letters to the Editor)
Hassan C. (*see* Fuccio et al). 2013; 78:596–608
Hassan C. (*see* Repici et al). 2013; 78:106–14
Hasuike N. (*see* Imai et al). 2013; 78:22–9
Hatanaka K. (*see* Shimizu et al). 2013; 78:351–8 (New methods: Clinical Endoscopy)
Hawes R. (*see* Hasan et al). 2013; 78:550–1 (Letters to the Editor)
Hawes RH. Endoscopic innovations., 2013; 78:410–3 (DDW Highlights)
Hawes RH. (*see* Varadarajulu et al). 2013; 78:742–3 (Editorial)
Hayashi N, Tanaka S, Hewett DG, Kaltenbach TR, Sano Y, Ponchon T, Saunders BP, Rex DK, Soetikno RM. Endoscopic prediction of deep submucosal invasive carcinoma: validation of the Narrow-Band Imaging International Colorectal Endoscopic (NICE) classification., 2013; 78:625–32
Hayee B. (*see* Sato et al). 2013; 78:250–7
Hayee B, Inoue H, Sato H, Santi EG, Yoshida A, Onimaru M, Ikeda H, Kudo S. Magnification narrow-band imaging for the diagnosis of early gastric cancer: a review of the Japanese literature for the Western endoscopist., 2013; 78:452–61 (Review article)
Hayee B. (*see* Maselli et al). 2013; 78:551–3 (Letter to the Editor)
He M-J. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Heckman MG. (*see* Gómez et al). 2013; 78:744–9
Heinemann A. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)
Herédia V. (*see* Dinis Silva et al). 2013; 78:782–3 (At the focal point)
Heresbach D. (*see* Halphen et al). 2013; 78:121–31
Hernández C. (*see* Álvarez et al). 2013; 78:333–41
Hernández V. (*see* Álvarez et al). 2013; 78:333–41
Herre J. (*see* Parekh et al). 2013; 78:836–41 (Review article)
Herrerias-Gutierrez JM. (*see* Romero-Castro et al). 2013; 78:711–21
Herrero LA. (*see* van Vilsteren et al). 2013; 78:30–8
Herreros A. (*see* Álvarez et al). 2013; 78:333–41
Hewett DG. (*see* Hayashi et al). 2013; 78:625–32
Higbee AD. (*see* Singh et al). 2013; 78:689–95
Higuchi K, Tanabe S, Azuma M, Katada C, Sasaki T, Ishido K, Naruke A, Katada N, Koizumi W. A phase II study of endoscopic submucosal dissection for superficial esophageal neoplasms (KDOG 0901)., 2013; 78:704–10
Higuchi K, Tanabe S, Azuma M, Sasaki T, Katada C, Ishido K, Naruke A, Mikami T, Koizumi W. Double-endoscope endoscopic submucosal dissection for the treatment of early gastric cancer accompanied by an ulcer scar (with video)., 2013; 78:266–73
Hirano K. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Hirasawa K. (*see* Koh et al). 2013; 78:476–83
Holloway RH. (*see* Bryant et al). 2013; (*see* Nguyen et al). 2013; 78:576–83; 78:892–901
Holt BA. (*see* Fahrtash-Bahin et al). 2013; 78:158–63 (New methods: Clinical Endoscopy)
Hong SJ. (*see* Han et al). 2013; 78:956–61 (Case study)
Hookey LC. (*see* Rex et al). 2013; 78:132–41
Horii J. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Hosoya T. (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point)
Hotta K. (*see* Imai et al). 2013; 78:22–9
House MG. (*see* Sagi et al). 2013; 78:363–4 (At the focal point)
Hsieh T-H, Faigel DO, Lam-Himlin DM. Polypoid lymphoid hyperplasia of the terminal ileum., 2013; 78:944–5 (At the focal point)
Hsieh T-Y. (*see* Chen P-J et al). 2013; 78:799–800 (Letter to the Editor)
Hu J-W. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Huberty V, Devière J. Endoscopic treatment of Zenker's diverticulum: do we always need endoclips?, 2013; 78:556 (Letter to the Editor)
Huberty V, Deviere J. Endoscopic treatment of Zenkeras diverticula., 2013; 78:669 (Letters to the Editor)
Hwang JC. (*see* Lee et al). 2013; 78:925–9 (New methods)

I

Ibrahim M, El-Mikkawy A, Mostafa I, Devière J. Endoscopic treatment of acute variceal hemorrhage by using hemostatic powder TC-325: a prospective pilot study., 2013; 78:769–73 (New methods: Clinical Endoscopy)
Idrees M. (*see* Khashab et al). 2013; 78:734–41
Igarashi K. (*see* Sato et al). 2013; 78:250–7
Ikeda H. (*see* Eleftheriadis et al). 2013; (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point); 78:452–61 (Review article); 78:551–3 (Letter to the Editor); 78:676 (VideoGIE)
Ikeda H. (*see* Sato et al). 2013; 78:250–7
Imai K, Tanaka M, Hasuike N, Kakushima N, Takizawa K, Matsubayashi H, Hotta K, Yamaguchi Y, Onitsuka T, Kusafuka K, Ono H. Feasibility of a "resect and watch" strategy with endoscopic resection for superficial pharyngeal cancer., 2013;78:22–9
Imai Y. (*see* Matsumoto et al). 2013; (*see* Fukushima et al). 2013; 78:164–5 (At the focal point); 78:361–3 (At the focal point)
Inokuma T. (*see* Matsumoto et al). 2013; (*see* Fukushima et al). 2013; 78:164–5 (At the focal point); 78:361–3 (At the focal point)
Inoue H. (*see* Eleftheriadis et al). 2013; (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; (*see* Eleftheriadis et al). 2013; (*see* Khashab et al). 2013; 78:359–60 (At the focal point); 78:452–61 (Review article); 78:551–3 (Letter to the Editor); 78:676 (VideoGIE); 78:764–8 (Thinking outside the box)
Inoue H. (*see* Sato et al). 2013; 78:250–7
Inoue S. (*see* Fukushima et al). 2013; 78:361–3 (At the focal point)
Iordanov V. (*see* van der Schaar et al). 2013; 78:520–8
Iqbal S. (*see* Khashab et al). 2013; 78:734–41
Isayama H. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Ishido K. (*see* Higuchi et al). 2013; 78:266–73; 78:704–10
Ito Y. (*see* Uchino et al). 2013; 78:842–50
Itoi T. (*see* Widmer et al). 2013; 78:638–41 (The fellows' corner)
Itoi T, Itokawa F, Uraoka T, Gotoda T, Horii J, Goto O, Moriyasu F, Moon JH, Kitagawa Y, Yahagi N. Novel EUS-guided gastrojejunostomy technique using a new double-balloon enteric tube and lumen-apposing metal stent (with videos)., 2013; 78:934–9 (New methods: Experimental Endoscopy)
Itokawa F. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Iyer PG. (*see* Rajan et al). 2013; 78:617–22

J

Jayasekeran V. (*see* Fahrtash-Bahin et al). 2013; 78:158–63 (New methods: Clinical Endoscopy)
Jegadeesan R. (*see* Navaneethan et al). 2013; 78:81–90
Jeon HK. (*see* Ryu et al). 2013; 78:285–94
Jeong SU. (*see* Park et al). 2013; 78:91–101
Johal AS, Babich JP, Diehl DL, Good CW. Left atrial thrombus incidentally discovered during EUS., 2013; 78:544 (At the focal point)
Johnson DA. (*see* Parekh et al). 2013; 78:836–41 (Review article)
Jordan S. (*see* Siddiqui et al). 2013; 78:589–95
Jorgensen JE, Elta GH, Stalburg CM, Kolars JC, Stout JM, Korsnes SJ, Metko V, Rubenstein JH. Do breaks in gastroenterology fellow endoscopy training result in a decrement in competency in colonoscopy?, 2013; 78:503–9
Joseph RE. (*see* Rex et al). 2013; 78:132–41
Jovanovic P. (*see* Salkic et al). 2013; 78:963 (Letters to editor)
Jover R. (*see* Álvarez et al). 2013; 78:333–41
Jung Y, Kato M, Lee J, Gromski MA, Chuttani R, Matthes K. Prospective, randomized comparison of a prototype endoscope with deflecting working channels versus a conventional double-channel endoscope for rectal endoscopic submucosal dissection in an established experimental simulation model (with video)., 2013; 78:756–62
Junquera-Florez F. (*see* Romero-Castro et al). 2013; 78:711–21

K

Kaffes AJ, Liu K. Fully covered self-expandable metal stents for treatment of benign biliary strictures., 2013; 78:13–21 (Review article)
Kahaleh M. (*see* Widmer et al). 2013; 78:638–41 (The fellows' corner)
Kakushima N. (*see* Imai et al). 2013; 78:22–9
Kalloo AN. (*see* Saxena et al). 2013; (*see* Khashab et al). 2013; (*see* Khashab et al). 2013; (*see* Khashab et al). 2013; 78:175–8 (Case study); 78:675 (VideoGIE); 78:734–41; 78:764–8 (Thinking outside the box)
Kaltenbach TR. (*see* Hayashi et al). 2013; 78:625–32
Kanaan Z. (*see* Manickam and Kanaan). 2013; 78:191 (Letter to the editor)
Kanakadandi V. (*see* Singh et al). 2013; 78:689–95
Kane SD. (*see* Binmoeller et al). 2013; 78:496–502
Kang DH. (*see* Lee et al). 2013; 78:925–9 (New methods)
Kantsevoy SV, Bitner M. Nonsurgical treatment of actively bleeding internal hemorrhoids with a novel endoscopic device (with video)., 2013; 78:649–53 (New methods)
Karbe T. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)
Kastenberg D. (*see* Choi et al). 2013; 78:325–32
Katada C. (*see* Higuchi et al). 2013; 78:266–73; 78:704–10
Katada N. (*see* Higuchi et al). 2013; 78:704–10

Kato M. (*see* Shimizu et al). 2013; (*see* Jung et al). 2013; 78:351–8 (New methods: Clinical Endoscopy); 78:756–62
Katz PO. (*see* Rex et al). 2013; 78:132–41
Kawakubo K. (*see* Uchino et al). 2013; 78:842–50
Kawanami C. (*see* Fukushima et al). 2013; 78:361–3 (At the focal point)
Kayaçetin E. (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)
Keefer L. (*see* McGorisk et al). 2013; 78:584–8
Kendrick ML. (*see* Fujii et al). 2013; 78:854–64
Khashab MA, DeWitt J. EUS-guided biliary drainage: Is it ready for prime time? Yes!, 2013; 78:102–5 (Editorial)
Khashab MA. (*see* Kim et al). 2013; 78:154–7 (New methods: Clinical Endoscopy)
Khashab MA. (*see* Saxena et al). 2013; 78:175–8 (Case study)
Khashab MA, Kumbhari V, Kalloo AN, Saxena P. EUS-guided biliary drainage by using a hepatogastrostomy approach., 2013; 78:675 (VideoGIE)
Khashab MA, Valeshabad AK, Modayil R, Widmer J, Saxena P, Idrees M, Iqbal S, Kalloo AN, Stavropoulos SN. EUS-guided biliary drainage by using a standardized approach for malignant biliary obstruction: rendezvous versus direct transluminal techniques (with videos)., 2013; 78:734–41
Khashab MA, Stein E, Clarke JO, Saxena P, Kumbhari V, Chander Roland B, Kalloo AN, Stavropoulos S, Pasricha P, Inoue H. Gastric peroral endoscopic myotomy for refractory gastroparesis: first human endoscopic pyloromyotomy (with video)., 2013; 78:764–8 (Thinking outside the box)
Kim BR. (*see* Ryu et al). 2013; 78:285–94
Kim H-S. (*see* Ryu et al). 2013; 78:285–94
Kim HK. (*see* Han et al). 2013; 78:956–61 (Case study)
Kim HM. (*see* Menees et al). 2013; 78:510–6
Kim JH. (*see* Lee et al). 2013; 78:925–9 (New methods)
Kim JJ. (*see* Walia et al). 2013; 78:536–9 (New methods: Clinical Endoscopy)
Kim JK. (*see* Lee et al). 2013; 78:925–9 (New methods)
Kim JS. (*see* No et al). 2013; 78:55–62
Kim JW. (*see* Ryu et al). 2013; 78:285–94
Kim KJ, Victor D, Stein E, Valeshabad AK, Saxena P, Singh VK, Lennon AM, Clarke JO, Khashab MA. A novel ballooned-tip percutaneous endoscopic gastrojejunostomy tube: a pilot study., 2013; 78:154–7 (New methods: Clinical Endoscopy)
Kim M-H. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Kim M-H. (*see* Park et al). 2013; 78:91–101
Kim SW. (*see* No et al). 2013; 78:55–62
Kitagawa Y. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Klein KM. (*see* Samiullah et al). 2013; 78:962–3 (Letter to the Editor)
Ko BM. (*see* Han et al). 2013; 78:956–61 (Case study)
Kobayashi Y. (*see* Sato et al). 2013; 78:250–7
Kochar R, Shah N. Enteral stents: from esophagus to colon., 2013; 78:913–8 (The fellows' corner)
Kogure H. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Koh R, Hirasawa K, Yahara S, Oka H, Sugimori K, Morimoto M, Numata K, Kokawa A, Sasaki T, Nozawa A, Taguri M, Morita S, Maeda S, Tanaka K. Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms., 2013; 78:476–83
Koike K. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Koizumi W. (*see* Higuchi et al). 2013; 78:266–73; 78:704–10
Kokawa A. (*see* Koh et al). 2013; 78:476–83
Köksal AŞ (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)
Köksal AŞ, Disibeyaz S, Parlak E. Endoscopic treatment of Zenkeras diverticula., 2013; 78:668–9 (Letters to the Editor)
Kolars JC. (*see* Jorgensen et al). 2013; 78:503–9
Komanduri S. (*see* McGorisk et al). 2013; 78:584–8
Korsnes SJ. (*see* Jorgensen et al). 2013; 78:503–9
Koulaouzidis A, Rondonotti E, Plevris JN. Diagnostic yield of small-bowel capsule endoscopy in patients with iron deficiency anemia: does it affect management?, 2013; 78:803 (Letters to the Editor)
Kowalski T. (*see* Siddiqui et al). 2013; 78:589–95
Kramer RE. (*see* Sheiko et al). 2013; 78:47–54
Krishna SG. (*see* Lee et al). 2013; 78:312–24
Krishna SG. (*see* Wang et al). 2013; 78:73–80
Krishnan K. (*see* McGorisk et al). 2013; 78:584–8
Kruck E. (*see* Negm et al). 2013; 78:303–11
Kudo S. (*see* Eleftheriadis et al). 2013; (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point); 78:452–61 (Review article); 78:551–3 (Letter to the Editor); 78:676 (VideoGIE)
Kudo S-e. (*see* Sato et al). 2013; 78:250–7
Kuipers EJ. (*see* Repici et al). 2013; 78:106–14
Kum JB. (*see* Sagi et al). 2013; 78:363–4 (At the focal point)
Kumar S, Fioritto A, Mitani A, Desai M, Gunaratnam N, Ladabaum U. Optical biopsy of sessile serrated adenomas: do these lesions resemble hyperplastic polyps under narrow-band imaging?, 2013; 78:902–9
Kumbhari V. (*see* Khashab et al). 2013; (*see* Khashab et al). 2013; 78:675 (VideoGIE); 78:764–8 (Thinking outside the box)
Kuo P. (*see* Bryant et al). 2013; 78:576–83
Kusafuka K. (*see* Imai et al). 2013; 78:22–9
Kushima R. (*see* Nonaka et al). 2013; 78:63–72
Kwon C-I. (*see* Lee et al). 2013; 78:925–9 (New methods)
Kwon RS. (*see* Bedi et al). 2013; 78:696–701

L

Ladabaum U. (*see* Kumar et al). 2013; 78:902–9
Ladha HS. (*see* Lee et al). 2013; 78:312–24
Lakhtakia S. (*see* Tandan et al). 2013; 78:726–33
Lam-Himlin DM. (*see* Hsieh T-H et al). 2013; 78:944–5 (At the focal point)
Lanas Á (*see* Álvarez et al). 2013; 78:333–41
Lang CC. (*see* Ryu et al). 2013; 78:285–94
Lankisch TO. (*see* Negm et al). 2013; 78:303–11
Larghi A. (*see* Fuccio et al). 2013; 78:596–608
Larson MV. (*see* Rajan et al). 2013; 78:617–22
Laterza L. (*see* Fuccio et al). 2013; 78:596–608
Law R, Topazian M, Baron TH. Endoscopic resection of hilar papillomatosis after Whipple procedure for ampullary adenoma., 2013; 78:226 (VideoGIE)
Law R, Baron TH. ERCP., 2013; 78:428–33 (DDW Highlights)
Lawrence M. (*see* Nguyen et al). 2013; 78:892–901
Leblanc S, Vienne A, Dhooge M, Coriat R, Chaussade S, Prat F. Early experience with a novel hemostatic powder used to treat upper GI bleeding related to malignancies or after therapeutic interventions (with videos)., 2013; 78:169–75 (Case studies)
Leblanc S. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Lee BU. (*see* Park et al). 2013; 78:91–101
Lee IS. (*see* No et al). 2013; 78:55–62
Lee J. (*see* Jung et al). 2013; 78:756–62
Lee JH, Krishna SG, Singh A, Ladha HS, Slack RS, Ramireddy S, Raju GS, Davila M, Ross WA. Comparison of the utility of covered metal stents versus uncovered metal stents in the management of malignant biliary strictures in 749 patients., 2013; 78:312–24
Lee JH. (*see* Wang et al). 2013; 78:73–80
Lee JS. (*see* Han et al). 2013; 78:956–61 (Case study)
Lee KM, Lim SG, Shin SJ, Kim JH, Kang DH, Kim JK, Hwang JC, Kwon C-I, Cheong JY, Yoo BM. Novel method of stent insertion for malignant lower rectal obstruction with proximal releasing delivery system (with video)., 2013; 78:925–9 (New methods)
Lee MS. (*see* Han et al). 2013; 78:956–61 (Case study)
Lee S. (*see* Enns et al). 2013; 78:851–3 (Editorial)
Lee SK. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Lee SK. (*see* Park et al). 2013; 78:91–101
Lee SS. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Lee SS. (*see* Park et al). 2013; 78:91–101
Leeds JS. (*see* Dawwas et al). 2013; 78:189–90 (Letter to the editor)
Leighton JA. (*see* Choi et al). 2013; 78:325–32
Lennon AM. (*see* Kim et al). 2013; (*see* Saxena et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:175–8 (Case study)
Levy MJ. (*see* Fujii et al). 2013; 78:365–9 (Case study)
Levy MJ, Wong Kee Song LM. EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues., 2013; 78:722–5 (Editorial)
Levy MJ. (*see* Fujii et al). 2013; 78:854–64
Lewis TD. (*see* Walia et al). 2013; 78:536–9 (New methods: Clinical Endoscopy)
Li Q-L, Zhou P-H, Yao L-Q, Xu M-D, Chen W-F, Hu J-W, Cai M-Y, Zhang Y-Q, Zhong Y-S, Qin W-Z, He M-J. Early diagnosis and management of delayed bleeding in the submucosal tunnel after peroral endoscopic myotomy for achalasia (with video)., 2013; 78:370–4 (Case study)
Lidums I. (*see* Nguyen et al). 2013; 78:892–901
Lim C-H. (*see* No et al). 2013; 78:55–62
Lim S-N. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Lim SG. (*see* Lee et al). 2013; 78:925–9 (New methods)
Lin GY. (*see* Pola et al). 2013; 78:575 (VideoGIE)
Lin H-J. Scoring system in upper GI bleeding., 2013; 78:557 (Letters to the Editor)
Lin H-J. Risk stratification by using an esophageal capsule., 2013; 78:672 (Letters to the Editor)
Lin H-J. Carbon dioxide insufflation for colonoscopy., 2013; 78:799 (Letters to the Editor)
Lindberg G. (*see* Tanaka et al). 2013; 78:659–64 (Case study)
Liu K. (*see* Kaffes and Liu). 2013; 78:13–21 (Review article)
Liu Y-p. (*see* Shi et al). 2013; 78:277–84
Lo SK. (*see* Choi et al). 2013; 78:325–32
Lopes AJ. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
Lopes L. Fascioliasis diagnosed by EUS and ERCP., 2013; 78:818 (VideoGIE)
Loren DE. (*see* Siddiqui et al). 2013; 78:589–95

Lowe AW. (*see* Park et al). 2013; 78:295–302
Lübke A. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)
Lugo R. (*see* Enestvedt et al). 2013; 78:462–7
Lukens FJ. (*see* Gómez et al). 2013; 78:744–9

M

Mabe K. (*see* Shimizu et al). 2013; 78:351–8 (New methods: Clinical Endoscopy)
Macenlle R. (*see* Álvarez et al). 2013; 78:333–41
Madeira E. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
Madeira M, Madeira E, Guedes EP, Mafort TT, Lopes AJ, Moreira RO, de Farias MLF. Symptomatic bacterial contamination of an intragastric balloon., 2013; 78:360–1 (At the focal point)
Madisch A. (*see* Negm et al). 2013; 78:303–11
Maeda S. (*see* Koh et al). 2013; 78:476–83
Mafort TT. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
Mahesh VN. (*see* Nguyen et al). 2013; 78:892–901
Maimone A. (*see* Fuccio et al). 2013; 78:596–608
Makazu M. (*see* Nonaka et al). 2013; 78:63–72
Mangialavori L. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Manickam P, Kanaan Z. Postablative stricture formation in ultra-long-segment Barrett's esophagus., 2013; 78:191 (Letter to the editor)
Manno M, Caruso A, Manta R, Bertani H, Mirante VG, Conigliaro R. Endoscopic treatment of Zenker's diverticulum: do we always need endoclips?, 2013; 78:556 (Letter to the Editor)
Manns MP. (*see* Negm et al). 2013; 78:303–11
Manta R. (*see* Manno et al). 2013; 78:556 (Letter to the Editor)
Marcos-Sanchez F. (*see* Romero-Castro et al). 2013; 78:711–21
Martel M. (*see* Yaghoobi et al). 2013; 78:468–75
Martino M. (*see* Di Matteo et al). 2013; 78:750–5
Maselli R. (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point)
Maselli R, Inoue H, Ikeda H, Onimaru M, Yoshida A, Santi EG, Sato H, Eleftheriadis N, Hayee B, Kudo S. The metallic silver sign with narrow-band imaging: a new endoscopic predictor for pharyngeal and esophageal neoplasia., 2013; 78:551–3 (Letter to the Editor)
Maselli R. (*see* Eleftheriadis et al). 2013; (*see* Sato et al). 2013; 78:676 (VideoGIE); 78:250–7
Matsubara S. (*see* Uchino et al). 2013; 78:842–50
Matsubayashi H. (*see* Imai et al). 2013; 78:22–9
Matsumoto K. (*see* Osada et al). 2013; 78:793–8 (Case study)
Matsumoto T, Shimeno N, Imai Y, Inokuma T. Gastric carcinoma with lymphoid stroma resembling a hypoechoic submucosal tumor., 2013; 78:164–5 (At the focal point)
Matthes K. (*see* Jung et al). 2013; 78:756–62
Maydeo A, Dhir V. The gallbladder polyp conundrum: a riddler on the wall., 2013; 78:494–5 (Editorial)
Mayer G. (*see* Pohl et al). 2013; 78:609–16
Mayrand S. (*see* Yaghoobi et al). 2013; 78:468–75
McAlindon ME. (*see* Sidhu et al). 2013; 78:800–1 (Letter to the Editor)
McGorisk T, Krishnan K, Keefer L, Komanduri S. Radiofrequency ablation for refractory gastric antral vascular ectasia (with video)., 2013; 78:584–8
McGuire B. (*see* Mönkemüller et al). 2013; 78:383–85 (Letters to the Editor)
McLemore E. (*see* Pola et al). 2013; 78:575 (VideoGIE)
Mencin AA. (*see* Pierog et al). 2013; 78:664–7 (Case study)
Menees SB, Kim HM, Elliott EE, Mickevicius JL, Graustein BB, Schoenfeld PS. The impact of fair colonoscopy preparation on colonoscopy use and adenoma miss rates in patients undergoing outpatient colonoscopy., 2013; 78:510–6
Mercer K. (*see* Gosain et al). 2013; 78:260–5
Mergener K. (*see* Choi et al). 2013; 78:325–32
Metko V. (*see* Jorgensen et al). 2013; 78:503–9
Meves VC. (*see* Pohl et al). 2013; 78:609–16
Mickevicius JL. (*see* Menees et al). 2013; 78:510–6
Mikami T. (*see* Higuchi et al). 2013; 78:266–73
Mirante VG. (*see* Manno et al). 2013; 78:556 (Letter to the Editor)
Mitani A. (*see* Kumar et al). 2013; 78:902–9
Miyabayashi K. (*see* Uchino et al). 2013; 78:842–50
Mizuno M. (*see* Ninomiya et al). 2013; 78:657–8 (At the Focal Point)
Mizuno S. (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Modayil R. (*see* Khashab et al). 2013; 78:734–41
Mohri D. (*see* Uchino et al). 2013; 78:842–50
Mönkemüller K, Wilcox CM. Interventional chromoendoscopy., 2013; 78:346–50 (Thinking outside the box)
Mönkemüller K, McGuire B, Wilcox CM, Ramesh J, DuBay D, Eckhoff D. Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique., 2013; 78:383–85 (Letters to the Editor)
Mönkemüller K. (*see* Neumann et al). 2013; 78:115–20
Montgomery EA. (*see* Arnold et al). 2013; 78:385–6 (Letter to the Editor)
Moon JH. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Moore J. (*see* Nguyen et al). 2013; 78:892–901
Moreira L. (*see* Álvarez et al). 2013; 78:333–41
Moreira RO. (*see* Madeira et al). 2013; 78:360–1 (At the focal point)
Morillas JD. (*see* Álvarez et al). 2013; 78:333–41
Morimoto M. (*see* Koh et al). 2013; 78:476–83
Morita S. (*see* Koh et al). 2013; 78:476–83
Moriyasu F. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Mostafa I. (*see* Ibrahim et al). 2013; 78:769–73 (New methods: Clinical Endoscopy)
Muñoz-Navas M. (*see* Romero-Castro et al). 2013; 78:711–21
Munroe C. (*see* Pola et al). 2013; 78:575 (VideoGIE)
Murakami T. (*see* Osada et al). 2013; 78:793–8 (Case study)
Muram T. (*see* Al-Haddad et al). 2013; 78:165–7 (At the focal point)
Murray JA. (*see* Rajan et al). 2013; 78:617–22

N

Nadal E, Burra P, Senzolo M. Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion., 2013; 78:963–4 (Letters to the editor)
Nagahara A. (*see* Osada et al). 2013; 78:793–8 (Case study)
Nakai Y. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Nakajima K. (*see* Uchino et al). 2013; 78:842–50
Nakajima T. (*see* Nonaka et al). 2013; 78:63–72
Naruke A. (*see* Higuchi et al). 2013; 78:704–10; 78:266–73
Navaneethan U, Gutierrez NG, Jegadeesan R, Venkatesh PGK, Butt M, Sanaka MR, Vargo JJ, Parsi MA. Delay in performing ERCP and adverse events increase the 30-day readmission risk in patients with acute cholangitis., 2013; 78:81–90
Nayar MK. (*see* Dawwas et al). 2013; 78:189–90 (Letter to the editor)
Negm AA, Poos H, Kruck E, Vonberg R-P, Domagk D, Madisch A, Voigtländer T, Manns MP, Wedemeyer J, Lankisch TO. Microbiologic analysis of peri-pancreatic fluid collected during EUS in patients with pancreatitis: impact on antibiotic therapy., 2013; 78:303–11
Neumann H, Vieth M, Fry LC, Günther C, Atreya R, Neurath MF, Mönkemüller K. Learning curve of virtual chromoendoscopy for the prediction of hyperplastic and adenomatous colorectal lesions: a prospective 2-center study. 2013; 78:115–20
Neurath MF. (*see* Neumann et al). 2013; 78:115–20
Nguyen NQ. (*see* Bryant et al). 2013; 78:576–83
Nguyen NQ, Schoeman MN, Ruszkiewicz A. Clinical utility of EUS before cholangioscopy in the evaluation of difficult biliary strictures., 2013; 78:868–74
Nguyen NQ, Toscano L, Lawrence M, Moore J, Holloway RH, Bartholomeusz D, Lidums I, Tam W, Roberts-Thomson IC, Mahesh VN, Debreceni TL, Schoeman MN. Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial., 2013; 78:892–901
Ninomiya Y, Oh-e H, Mizuno M. The annual tree ring sign: a new endoscopic finding of mucosal prolapse syndrome., 2013; 78:657–8 (At the Focal Point)
No JH, Kim SW, Lim C-H, Kim JS, Cho YK, Park JM, Lee IS, Choi M-G, Choi KY. Long-term outcome of palliative therapy for gastric outlet obstruction caused by unresectable gastric cancer in patients with good performance status: endoscopic stenting versus surgery., 2013; 78:55–62
Nonaka S, Oda I, Makazu M, Haruyama S, Abe S, Suzuki H, Yoshinaga S, Nakajima T, Kushima R, Saito Y. Endoscopic submucosal dissection for early gastric cancer in the remnant stomach after gastrectomy., 2013; 78:63–72
Norton JA. (*see* Park et al). 2013; 78:295–302
Nozawa A. (*see* Koh et al). 2013; 78:476–83
Numata K. (*see* Koh et al). 2013; 78:476–83
Nunes A. (*see* Dinis Silva et al). 2013; 78:782–3 (At the focal point)

O

Occhipinti P. (*see* Repici et al). 2013; 78:106–14
Oda I. (*see* Nonaka et al). 2013; 78:63–72
Ödemiş B, Shorbagi A, Köksal AŞ, Özdemir E, Torun S, Yüksel M, Kayaçetin E. The "Lasso" technique: snare-assisted endoscopic-radiological rendezvous technique for the management of complete transection of the main bile duct., 2013; 78:554–6 (Letter to the Editor)
Ogihara T. (*see* Osada et al). 2013; 78:795–9 (Case study)
Oh-e H. (*see* Ninomiya et al). 2013; 78:657–8 (At the Focal Point)
Oka H. (*see* Koh et al). 2013; 78:476–83
Okolo PI. (*see* Saxena et al). 2013; 78:175–8 (Case study)
Onimaru M. (*see* Eleftheriadis et al). 2013; (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point); 78:452–61 (Review article); 78:551–3 (Letter to the Editor); 78:676 (VideoGIE)
Onimaru M. (*see* Sato et al). 2013; 78:250–7
Onitsuka T. (*see* Imai et al). 2013; 78:22–9
Onkendi EO. (*see* Fujii et al). 2013; 78:365–9 (Case study)

Ono A. (*see* Álvarez et al). 2013; 78:333–41
Ono H. (*see* Imai et al). 2013; 78:22–9
Ono S. (*see* Shimizu et al). 2013; 78:351–8 (New methods: Clinical Endoscopy)
Oppong KW. (*see* Dawwas et al). 2013; 78:189–90 (Letter to the editor)
Ortiz-Moyano C. (*see* Romero-Castro et al). 2013; 78:711–21
Osada T, Sakamoto N, Ritsuno H, Murakami T, Ueyama H, Shibuya T, Matsumoto K, Nagahara A, Ogihara T, Watanabe S. Process of wound healing of large mucosal defect areas that were sutured by using a loop clip–assisted closure technique after endoscopic submucosal dissection of a colorectal tumor., 2013; 78:793–8 (Case study)
Oxentenko AS. (*see* Rajan et al). 2013; 78:617–22
Özdemir E. (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)

P

Pacella CM. (*see* Di Matteo et al). 2013; 78:750–5
Pagano N. (*see* Fuccio et al). 2013; 78:596–608
Paggi S. (*see* Repici et al). 2013; 78:106–14
Pai RK. (*see* Park et al). 2013; 78:295–302
Paine E, Shen B. Endoscopic therapy in inflammatory bowel diseases (with videos)., 2013; 78:819–35 (Technical review)
Paine PA. (*see* Vasant et al). 2013; 78:553–4 (Letter to the Editor)
Pandolfi M. (*see* Di Matteo et al). 2013; 78:750–5
Panzera F. (*see* Di Matteo et al). 2013; 78:750–5
Pardi DS. (*see* Rajan et al). 2013; 78:617–22
Parekh PJ, Buerlein RC, Shams R, Herre J, Johnson DA. An update on the management of implanted cardiac devices during electrosurgical procedures., 2013; 78:836–41 (Review article)
Park DH. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Park DH, Jeong SU, Lee BU, Lee SS, Seo D-W, Lee SK, Kim M-H. Prospective evaluation of a treatment algorithm with enhanced guidewire manipulation protocol for EUS-guided biliary drainage after failed ERCP (with video)., 2013; 78:91–101
Park HJ. (*see* Ryu et al). 2013; 78:285–94
Park JM. (*see* No et al). 2013; 78:55–62
Park SJ, Choi J-H, Park DH, Choi JH, Lee SS, Seo D-W, Lee SK, Kim M-H. Expanding indication: EUS-guided hepaticoduodenostomy for isolated right intrahepatic duct obstruction (with video)., 2013; 78:374–80 (Case study)
Park SM. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Park SY. (*see* Ryu et al). 2013; 78:285–94
Park WG, Wu M, Bowen R, Zheng M, Fitch WL, Pai RK, Wodziak D, Visser BC, Poultsides GA, Norton JA, Banerjee S, Chen AM, Friedland S, Scott BA, Pasricha PJ, Lowe AW, Peltz G. Metabolomic-derived novel cyst fluid biomarkers for pancreatic cysts: glucose and kynurenine., 2013; 78:295–302
Park WR, Han J-H, Lim S-N, Han H-S, Chae HB, Park SM, Youn SJ, Son BR, Sung R. Acute lymphoblastic leukemia with gastric involvement initially diagnosed by endoscopy and EUS., 2013; 78:655–6 (At the focal point)
Parlak E. (*see* Köksal AŞ et al). 2013; 78:668–9 (Letters to the Editor)
Parsi MA. (*see* Navaneethan et al). 2013; 78:81–90
Pasricha P. (*see* Khashab et al). 2013; 78:764–8 (Thinking outside the box)
Pasricha PJ. (*see* Park et al). 2013; 78:295–302
Pearson RK. (*see* Fujii et al). 2013; 78:854–64
Pech O. Esophageal disease., 2013; 78:405–9 (DDW Highlights)
Pellicer-Bautista F. (see Romero-Castro et al). 2013; 78:711–21
Pellisé M. (*see* Álvarez et al). 2013; 78:333–41
Peltz G. (*see* Park et al). 2013; 78:295–302
Perez-Miranda M. (*see* Alcaide et al). 2013; (*see* Widmer et al). 2013; 78:940 (At the focal point); 78:638–41 (The fellows' corner)
Pérez-Riquelme F. (*see* Álvarez et al). 2013; 78:333–41
Peris A. (*see* Álvarez et al). 2013; 78:333–41
Perrone G. (*see* Di Matteo et al). 2013; 78:750–5
Petersen BT. (*see* Fujii et al). 2013; 78:854–64
Phoa KN. (*see* van Vilsteren et al). 2013; 78:30–8
Pierog AA, Rizkalla-Reilly N, Mencin AA. A novel method of gastrojejunal tube placement using endoclips in pediatric patients: a case series., 2013; 78:664–7 (Case study)
Pineda Bonilla JJ, Diehl DL, Babameto GP, Smith RE. Massive hepatic portal venous gas and gastric pneumatosis secondary to gastric ischemia., 2013; 78:540–1 (At the focal point)
Pinto Marques P. (*see* Dinis Silva et al). 2013; 78:782–3 (At the focal point)
Piraka CR. (*see* Bedi et al). 2013; 78:696–701
Pitt HA. (*see* Al-Haddad et al). 2013; 78:165–7 (At the focal point)
Plevris JN. (*see* Koulaouzidis et al). 2013; 78:801 (Letters to the Editor)
Pohl J, Meves VC, Mayer G, Behrens A, Frimberger E, Ell C. Prospective randomized comparison of short-access mother-baby cholangioscopy versus direct cholangioscopy with ultraslim gastroscopes., 2013; 78:609–16
Pola S, McLemore E, Munroe C, Lin GY, Santillan C, Savides T, Abbas Fehmi S. Rectal cancer developing in the setting of a cavernous hemangioma of the rectosigmoid colon., 2013; 78:575 (VideoGIE)
Ponce M. (*see* Álvarez et al). 2013; 78:333–41
Ponchon T. (*see* Hayashi et al). 2013; 78:625–32
Poos H. (*see* Negm et al). 2013; 78:303–11
Portocarrero DJ. (*see* Walia et al). 2013; 78:536–9 (New methods: Clinical Endoscopy)
Poultsides GA. (*see* Park et al). 2013; 78:295–302
Pouw RE. (*see* van Vilsteren et al). 2013; 78:30–8
Poves C. (*see* Álvarez et al). 2013; 78:333–41
Prat F. (*see* Leblanc et al). 2013; 78:169–75 (Case studies)
Prat F. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Prathanvanich P, Chand B. Complete endoscopic/transgastric retrieval of eroded gastric band: a novel technique., 2013; 78:816 (VideoGIE)
Pratico CA. (*see* Alatawi et al). 2013; 78:179–83 (Case study)
Püschel K. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)

Q

Qin W-Z. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Quintero E. (*see* Álvarez et al). 2013; 78:333–41

R

Radaelli F. (*see* Repici et al). 2013; 78:106–14
Raftopoulos SC. (*see* Chen et al). 2013; 78:781–2 (At the focal point)
Rajan E. (*see* Abu Dayyeh et al). 2013; 78:530–5 (New methods: Clinical Endoscopy)
Rajan E, Iyer PG, Oxentenko AS, Pardi DS, Alexander JA, Baron TH, Bruining DH, Hansel SL, Larson MV, Murray JA, DeBritto J, Dierkhising RA, Gostout CJ. Training in small-bowel capsule endoscopy: assessing and defining competency., 2013; 78:617–22
Raju GS. (*see* Lee et al). 2013; (*see* Buxbaum et al). 2013; (*see* Buxbaum et al). 2013; 78:312–24; 78:529 (CME activity); 78:912–9 (CME activity)
Raju GS. (*see* Wang et al). 2013; 78:73–80
Rakesh K. (*see* Tandan et al). 2013; 78:726–33
Ramchandani M, Reddy DN. New endoscopic "scissors" to treat Zenker's diverticulum (with video)., 2013; 78:645–8 (New methods)
Ramchandani MJ. (*see* Tandan et al). 2013; 78:726–33
Ramesh J. (*see* Mönkemüller et al). 2013; 78:383–5 (Letters to the Editor)
Ramireddy S. (*see* Lee et al). 2013; 78:312–24
Rao GV. (*see* Tandan et al). 2013; 78:726–33
Rastogi A. (*see* Wani et al). 2013; (*see* Singh et al). 2013; 78:633–6 (Editorial); 78:689–95
Rawal B. (*see* Gómez et al). 2013; 78:744–9
Rea R. (*see* Di Matteo et al). 2013; 78:750–5
Reddy DN. (see Ramchandani et al). 2013; (see Tandan et al). 2013; 78:726–33; 78:645–8 (New methods)
Reidel W. (*see* Choi et al). 2013; 78:325–32
Repici A. (*see* Fuccio et al). 2013; 78:596–608
Repici A, Hassan C, Radaelli F, Occhipinti P, De Angelis C, Romeo F, Paggi S, Saettone S, Cisarò F, Spaander M, Sharma P, Kuipers EJ. Accuracy of narrow-band imaging in predicting colonoscopy surveillance intervals and histology of distal diminutive polyps: results from a multicenter, prospective trial., 2013; 78:106–14
Repiso-Ortega A. (*see* Romero-Castro et al). 2013; 78:711–21
Rex DK, Katz PO, Bertiger G, Vanner S, Hookey LC, Alderfer V, Joseph RE. Split-dose administration of a dual-action, low-volume bowel cleanser for colonoscopy: the SEE CLEAR I study., 2013; 78:132–41
Rex DK. (*see* Sagi et al). 2013; (*see* Hayashi et al). 2013; (*see* Vemulapalli et al). 2013; 78:363–4 (At the focal point); 78:625–32; 78:802–3 (Letters to the Editor)
Rex DK. Prophylactic clip closure., 2013; 78:387–8 (Letter to the Editor)
Rex DK. Colonoscopy., 2013; 78:444–9 (DDW Highlights)
Richter JM. Colonoscopy quality improvement: practice to public health., 2013; 78:919–24 (Perspectives)
Riley SA. (*see* Ball et al). 2013; 78:668 (Letter to the Editor)
Ringold DA. (*see* Brauer et al). 2013; 78:545–9 (Case study)
Ritsuno H. (*see* Osada et al). 2013; 78:793–8 (Case study)
Rizkalla-Reilly N. (*see* Pierog et al). 2013; 78:664–7 (Case study)
Roberts-Thomson IC. (*see* Nguyen et al). 2013; 78:892–901
Rockey DC. (*see* Agrawal et al). 2013; 78:150–2 (Perspectives)
Rohof WO. (*see* Verlaan et al). 2013; 78:39–44
Romeo F. (*see* Repici et al). 2013; 78:106–14
Romero-Castro R, Ellrichmann M, Ortiz-Moyano C, Subtil-Inigo JC, Junquera-Florez F, Gornals JB, Repiso-Ortega A, Vila-Costas J, Marcos-Sanchez F, Muñoz-Navas M, Romero-Gomez M, Brullet-Benedi E, Romero-Vazquez J, Caunedo-Alvarez A, Pellicer-Bautista F, Herrerias-Gutierrez JM, Fritscher-Ravens A. EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos)., 2013; 78:711–21
Romero-Gomez M. (*see* Romero-Castro et al). 2013; 78:711–21

Romero-Vazquez J. (*see* Romero-Castro et al). 2013; 78:711–21
Rondonotti E. (*see* Koulaouzidis et al). 2013; 78:801 (Letters to the Editor)
Rösch T. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)
Rösch. (*see* Verlaan et al). 2013; 78:39–44
Rosenberg RM. (*see* Freedberg et al). 2013; 78:963–4 (Letters to the Editor)
Roshan-Afshar I. (*see* Yaghoobi et al). 2013; 78:468–75
Ross A. (*see* Balmadrid et al). 2013; 78:783–5 (At the focal point)
Ross W. (*see* Buxbaum et al). 2013; (*see* Buxbaum et al). 2013; 78:529 (CME activity); 78:912–9 (CME activity)
Ross WA. (*see* Lee et al). 2013; 78:312–24
Ross WA. (*see* Wang et al). 2013; 78:73–80
Rothstein RI. (*see* Dulai et al). 2013; 78:191 (Letter to the editor)
Rubenstein JH. (*see* Jorgensen et al). 2013; (*see* Bedi et al). 2013; 78:503–9; 78:696–701
Rubin DT, Goeppinger SR. Initial experience of a through-the-scope balloon device for ileal intubation in Crohn's disease., 2013; 78:669–70 (Letter to the Editor)
Rubio CA. (*see* Tanaka et al). 2013; 78:659–64 (Case study)
Ruiz-Zorrilla R. (*see* Alcaide et al). 2013; 78:941–2 (At the focal point)
Ruszkiewicz A. (*see* Nguyen et al). 2013; 78:868–74
Ryu HY, Kim JW, Kim H-S, Park HJ, Jeon HK, Park SY, Kim BR, Lang CC, Won SH. Second-look endoscopy is not associated with better clinical outcomes after gastric endoscopic submucosal dissection: a prospective, randomized, clinical trial analyzed on an as-treated basis., 2013; 78:285–94

S

Saccomandi P. (*see* Di Matteo et al). 2013; 78:750–5
Sachdeva A. (*see* Walia et al). 2013; 78:536–9 (New methods: Clinical Endoscopy)
Saettone S. (*see* Repici et al). 2013; 78:106–14
Săftoiu A, Vilmann P. Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms., 2013; 78:188–9 (Letter to the editor)
Sagi SV, Kum JB, House MG, Rex DK. Epithelialized omental patch masquerading as a duodenal lipoma., 2013; 78:363–4 (At the focal point)
Saito K. (*see* Hamada et al). 2013; 78:817 (VideoGIE)
Saito Y. (*see* Nonaka et al). 2013; 78:63–72
Sakamoto N. (*see* Shimizu et al). 2013; (*see* Osada et al). 2013; 78:351–8 (New methods: Clinical Endoscopy); 78:793–8 (Case study)
Sala T. (*see* Álvarez et al). 2013; 78:333–41
Salah W, Baron TH. Gastric antral web: a rare cause of gastric outlet obstruction treated with endoscopic therapy., 2013; 78:450 (VideoGIE)
Salah W, Dumot JA, Wong RCK. Through-the-scope Doppler US-guided cyanoacrylate injection: a new technique for the treatment of gastric variceal hemorrhage., 2013; 78:574 (Videogie)
Salas D. (*see* Álvarez et al). 2013; 78:333–41
Salkic NN, Alibegovic E, Jovanovic P. Endoscopic appearance of duodenal mucosa in GI leishmaniasis., 2013; 78:963 (Letters to editor)
Saltzman JR. (*see* Abougergi et al). 2013; (*see* Abougergi et al). 2013; 78:382–3 (Letter to the Editor); 78:557–8 (Letter to the Editor)
Samiullah S, Dinneen HS, Klein KM, Demyen M. Endoscopic appearance of duodenal mucosa in GI leishmaniasis., 2013; 78:962–3 (Letter to the Editor)
Sanaka MR. (*see* Navaneethan et al). 2013; 78:81–90
Sancho del Val L. (*see* Alcaide et al). 2013; 78:941–2 (At the focal point)
Sano Y. (*see* Hayashi et al). 2013; 78:625–32
Santander C. (*see* Álvarez et al). 2013; 78:333–41
Santi EG. (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; 78:452–61 (Review article); 78:551–3 (Letter to the Editor)
Santi EGR. (*see* Sato et al). 2013; 78:250–7
Santi G. (*see* Eleftheriadis et al). 2013; 78:676 (VideoGIE)
Santillan C. (*see* Pola et al). 2013; 78:575 (VideoGIE)
Santosh D. (*see* Tandan et al). 2013; 78:726–33
Sarasqueta C. (*see* Álvarez et al). 2013; 78:333–41
Sarkis FS. (*see* Sharara et al). 2013; 78:886–91
Sasahira N. (*see* Uchino et al). 2013; 78:842–50
Sasahira N, Isayama H, Tokyokawa Y, Mizuno S, Hirano K, Nakai Y, Sase R, Kogure H, Sasaki T, Yamamoto N, Tada M, Koike K. A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video)., 2013; 78:925–9 (New methods: Clinical Endoscopy)
Sasaki T. (*see* Koh et al). 2013; (*see* Higuchi et al). 2013; (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:476–83; 78:704–10; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Sasaki T. (*see* Higuchi et al). 2013; 78:266–73
Sase R. (*see* Sasahira et al). 2013; 78:925–9 (New methods: Clinical Endoscopy)
Sato H. (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; 78:452–61 (Review article); 78:551–3 (Letter to the Editor)
Sato H, Inoue H, Kobayashi Y, Maselli R, Santi EGR, Hayee B, Igarashi K, Yoshida A, Ikeda H, Onimaru M, Aoyagi Y, Kudo S-e. Control of severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinoma: oral steroid therapy with balloon dilation or balloon dilation alone., 2013; 78:250–7
Saunders BP. (*see* Hayashi et al). 2013; 78:625–32
Savides T. (*see* Pola et al). 2013; 78:575 (VideoGIE)
Saxena P. (*see* Kim et al). 2013; (*see* Khashab et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:675 (VideoGIE); 78:734–41; 78:764–8 (Thinking outside the box)
Saxena P, Singh VK, Lennon AM, Okolo PI, Kalloo AN, Khashab MA. Endoscopic management of acute cholecystitis after metal stent placement in patients with malignant biliary obstruction: a case series., 2013; 78:175–8 (Case study)
Scheiman JM. (*see* Bedi et al). 2013; 78:696–701
Schena E. (*see* Di Matteo et al). 2013; 78:750–5
Schmidt PT. (*see* Tanaka et al). 2013; 78:659–64 (Case study)
Schoeman MN. (*see* Bryant et al). 2013; (*see* Nguyen et al). 2013; (*see* Nguyen et al). 2013; 78:576–83; 78:868–74; 78:892–901
Schoenfeld PS. (*see* Menees et al). 2013; 78:510–6
Schoon EJ. (*see* van Vilsteren et al). 2013; 78:30–8
Schwartz B. (*see* Freedberg et al). 2013; 78:963–4 (Letters to the Editor)
Scott BA. (*see* Park et al). 2013; 78:295–302
Segarajasingam DS. (*see* Tee et al). 2013; (*see* Chen et al). 2013; 78:542–3 (At the focal point); 78:781–2 (At the focal point)
Semrad C. (*see* Choi et al). 2013; 78:325–32
Senhorinho R. (*see* Dinis Silva et al). 2013; 78:782–3 (At the focal point)
Senzolo M. (*see* Nadal et al). 2013; 78:964–5 (Letters to the editor)
Seo D-W. (*see* Park et al). 2013; (*see* Choi J-H et al). 2013; 78:374–80 (Case study); 78:484–93
Seo D-W. (*see* Park et al). 2013; 78:91–101
Serradesanferm A. (*see* Álvarez et al). 2013; 78:333–41
Shah JN. (*see* Binmoeller et al). 2013; 78:496–502
Shah N. (*see* Kochar et al). 2013; 78:913–8 (The fellows' corner)
Shah P. (*see* Enestvedt et al). 2013; 78:462–7
Shah RJ. (*see* Brauer et al). 2013; 78:545–9 (Case study)
Shams R. (*see* Parekh et al). 2013; 78:836–41 (Review article)
Sharara AI, El-Halabi MM, Abou Fadel CG, Sarkis FS. Sugar-free menthol candy drops improve the palatability and bowel cleansing effect of polyethylene glycol electrolyte solution., 2013; 78:886–91
Sharma P. (*see* Singh et al). 2013; 78:689–95
Sharma P. (*see* Repici et al). 2013; 78:106–14
Sheiko MA, Feinstein JA, Capocelli KE, Kramer RE. Diagnostic yield of EGD in children: a retrospective single-center study of 1000 cases., 2013; 78:47–54
Shen B. (*see* Paine et al). 2013; (*see* Wu X-r et al). 2013; 78:819–35 (Technical review); 78:875–85
Shi D, Bao Y-s, Liu Y-p. Individualization of metal stents for management of gastric outlet obstruction caused by distal stomach cancer: a prospective study., 2013; 78:277–84
Shibuya T. (*see* Osada et al). 2013; 78:793–8 (Case study)
Shih S-C. (*see* Wang H-Y et al). 2013; 78:940–1 (At the focal point)
Shimeno N. (*see* Matsumoto et al). 2013; 78:164–5 (At the focal point)
Shimizu J. (*see* van der Schaar et al). 2013; 78:520–8
Shimizu Y, Takahashi M, Yoshida T, Ono S, Mabe K, Kato M, Asaka M, Hatanaka K, Sakamoto N. Endoscopic in vivo cellular imaging of superficial squamous cell carcinoma of the head and neck by using an integrated endocytoscopy system (with video)., 2013; 78:351–8 (New methods: Clinical Endoscopy)
Shin SJ. (*see* Lee et al). 2013; 78:925–9 (New methods)
Shorbagi A. (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)
Shpaner A. (*see* Wang et al). 2013; 78:73–80
Siddiqui AA, DeWitt JM, Strongin A, Singh H, Jordan S, Loren DE, Kowalski T, Eloubeidi MA. Outcomes of EUS-guided drainage of debris-containing pancreatic pseudocysts by using combined endoprosthesis and a nasocystic drain., 2013; 78:589–95
Sidhu PS, McAlindon ME, Drew K, Sidhu R. Diagnostic yield of small-bowel capsule endoscopy in patients with iron deficiency anemia: does it affect management?, 2013; 78:802 (Letter to the Editor)
Sidhu R. (*see* Sidhu et al). 2013; 78:800–1 (Letter to the Editor)
Siegel JH. ERCP., 2013; 78:642–4 (Book review)
Siersema PD. (*see* van der Schaar et al). 2013; 78:520–8
Silvestri S. (*see* Di Matteo et al). 2013; 78:750–5
Simpson P. (*see* Choi et al). 2013; 78:325–32
Singh A. (*see* Lee et al). 2013; 78:312–24
Singh H. (*see* Siddiqui et al). 2013; 78:589–95
Singh M, Gupta N, Gaddam S, Balasubramanian G, Wani S, Sinh P, Aghaie K, Higbee AD, Rastogi A, Kanakadandi V, Bansal A, Sharma P. Practice patterns among U.S. gastroenterologists regarding endoscopic management of Barrett's esophagus., 2013; 78:689–95

Singh VK. (*see* Kim et al). 2013; (*see* Saxena et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:175–8 (Case study)
Sinh P. (*see* Singh et al). 2013; 78:689–95
Slack RS. (*see* Lee et al). 2013; 78:312–24
Smith RE. (*see* Pineda Bonilla et al). 2013; 78:540–1 (At the focal point)
Soetikno RM. (*see* Hayashi et al). 2013; 78:625–32
Son BR. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Sondermeijer CMT. (*see* van Vilsteren et al). 2013; 78:30–8
Song J-Y. (*see* Han et al). 2013; 78:956–61 (Case study)
Sonnenberg A, Boardman CR. How to review., 2013; 78:343–5 (The fellows' corner)
Sonson R. (*see* Fahrtash-Bahin et al). 2013; 78:158–63 (New methods: Clinical Endoscopy)
Soto JR. (*see* Baptista et al). 2013; 78:192 (Letter to the editor)
Spaander M. (*see* Repici et al). 2013; 78:106–14
Stalburg CM. (*see* Jorgensen et al). 2013; 78:503–9
Stark ME. (*see* Gómez et al). 2013; 78:744–9
Stavropoulos S. (*see* Khashab et al). 2013; 78:764–8 (Thinking outside the box)
Stavropoulos SN. (*see* Khashab et al). 2013; 78:734–41
Stein E. (*see* Kim et al). 2013; (*see* Khashab et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:764–8 (Thinking outside the box)
Stigliano E. (*see* Di Matteo et al). 2013; 78:750–5
Stout JM. (*see* Jorgensen et al). 2013; 78:503–9
Strongin A. (*see* Siddiqui et al). 2013; 78:589–95
Subtil-Inigo JC. (*see* Romero-Castro et al). 2013; 78:711–21
Sugimori K. (*see* Koh et al). 2013; 78:476–83
Sul J. (*see* Choi et al). 2013; 78:325–32
Sung R. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Suzuki H. (*see* Nonaka et al). 2013; 78:63–72
Swanstrom LL. POEM: Way to go!, 2013; 78:45–6 (Editorial)
Sweetser S, Baron TH. Non-lifting sign from cold biopsy of sessile serrated polyp., 2013; 78:167–8 (At the focal point)

T

Tada M. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Taguri M. (*see* Koh et al). 2013; 78:476–83
Taha H. (*see* Dawwas et al). 2013; 78:189–90 (Letter to the editor)
Takahara N. (*see* Uchino et al). 2013; 78:842–50
Takahashi M. (*see* Shimizu et al). 2013; 78:351–8 (New methods: Clinical Endoscopy)
Takizawa K. (*see* Imai et al). 2013; 78:22–9
Talukdar R. (*see* Tandan et al). 2013; 78:726–33
Tam W. (*see* Nguyen et al). 2013; 78:892–901
Tamm EP. (*see* Wang et al). 2013; 78:73–80
Tanabe S. (*see* Higuchi et al). 2013; 78:704–10
Tanabe S. (*see* Higuchi et al). 2013; 78:266–73
Tanaka K. (*see* Koh et al). 2013; 78:476–83
Tanaka K, Rubio CA, Dlugosz A, Truskaite K, Befrits R, Lindberg G, Schmidt PT. Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis., 2013; 78:659–64 (Case study)
Tanaka M. (*see* Imai et al). 2013; 78:22–9
Tanaka S. (*see* Hayashi et al). 2013; 78:625–32
Tandan M, Reddy DN, Talukdar R, Vinod K, Santosh D, Lakhtakia S, Gupta R, Ramchandani MJ, Banerjee R, Rakesh K, Varadaraj G, Rao GV. Long-term clinical outcomes of extracorporeal shockwave lithotripsy in painful chronic calcific pancreatitis., 2013; 78:726–33
Tang S-J. Acknowledging the first author and corresponding author of published work., 2013; 78:801–2 (Letter to the Editor)
Tarantino I. (*see* Granata et al). 2013; 78:451 (VideoGIE)
Tee CT, Chen HC, Segarajasingam DS, Yusoff IF. Pulmonary embolism diagnosed with EUS on a patient with adenocarcinoma of the pancreas (with video)., 2013; 78:542–3 (At the focal point)
Tee CT. (*see* Chen HC et al). 2013; 78:781–2 (At the focal point)
Ten Kate FJW. (*see* van Vilsteren et al). 2013; 78:30–8
Testro A. (*see* Chandran et al). 2013; 78:672–3 (Letter to the Editor)
Toda N. (*see* Uchino et al). 2013; 78:842–50
Togawa O. (*see* Uchino et al). 2013; 78:842–50
Tokyokawa Y. (*see* Sasahira et al). 2013; 78:925–9 (New methods: Clinical Endoscopy)
Topazian M. (*see* Law et al). 2013; 78:226 (VideoGIE)
Topazian MD. (*see* Fujii et al). 2013; 78:854–64
Torun S. (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)
Toscano L. (*see* Nguyen et al). 2013; 78:892–901
Traina M. (*see* Granata et al). 2013; 78:451 (VideoGIE)
Truskaite K. (*see* Tanaka et al). 2013; 78:659–64 (Case study)
Truty MJ. (*see* Fujii et al). 2013; 78:854–64
Tsujino T. (*see* Uchino et al). 2013; 78:842–50
Tursi A. Endoscopic diagnosis of celiac disease: what is the role of capsule endoscopy?, 2013; 78:381 (Letter to the Editor)
Twaddell WS. (*see* Gosain et al). 2013; 78:260–5

U

Uchino R, Isayama H, Tsujino T, Sasahira N, Ito Y, Matsubara S, Takahara N, Arizumi T, Toda N, Mohri D, Togawa O, Yagioka H, Yanagihara Y, Nakajima K, Akiyama D, Hamada T, Miyabayashi K, Mizuno S, Kawakubo K, Kogure H, Sasaki T, Yamamoto N, Nakai Y, Hirano K, Tada M, Koike K. Results of the Tokyo Trial of Prevention of Post-ERCP Pancreatitis with Risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial., 2013; 78:842–50
Ueyama H. (*see* Osada et al). 2013; 78:793–8 (Case study)
Uradomo L. (*see* Gosain et al). 2013; 78:260–5
Uraoka T. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)

V

Valats J-C, Funakoshi N, Bauret P, Hanslik B, Dorandeu A, Christophorou D, Bismuth M, Blanc P. Covered self-expandable biliary stents for the treatment of bleeding after ERCP., 2013; 78:183–7 (Case study)
Valeshabad AK. (*see* Kim et al). 2013; (*see* Khashab et al). 2013; 78:154–7 (New methods: Clinical Endoscopy); 78:734–41
van Berge Henegouwen MI. (*see* van Vilsteren et al). 2013; 78:30–8
van der Schaar PJ, Dijksman JF, Broekhuizen-de Gast H, Shimizu J, van Lelyveld N, Zou H, Iordanov V, Wanke C, Siersema PD. A novel ingestible electronic drug delivery and monitoring device., 2013; 78:520–8
van Halsema EE, van Hooft JE. Removing in situ esophageal stents, 2013; 78:192
van Hooft JE. (*see* van Halsema and van Hooft). 2013; 78:192 (Letter to the editor)
van Lelyveld N. (*see* van der Schaar et al). 2013; 78:520–8
van Vilsteren FGI, Phoa KN, Herrero LA, Pouw RE, Sondermeijer CMT, Visser M, Ten Kate FJW, van Berge Henegouwen MI, Weusten BLAM, Schoon EJ, Bergman JJGHM. A simplified regimen for focal radiofrequency ablation of Barrett's mucosa: a randomized multicenter trial comparing two ablation regimens., 2013; 78:30–8
Vanner S. (*see* Rex et al). 2013; 78:132–41
Varadaraj G. (*see* Tandan et al). 2013; 78:726–33
Varadarajulu S. (*see* Hasan et al). 2013; 78:550–1 (Letters to the Editor)
Varadarajulu S, Hawes RH. EUS-guided biliary drainage: taxing and not ready., 2013; 78:742–3 (Editorial)
Vargas-Garcia AL. (*see* Alcaide et al). 2013; 78:941–2 (At the focal point)
Vargo JJ. (*see* Choi et al). 2013; 78:325–32
Vargo JJ. (*see* Navaneethan et al). 2013; 78:81–90
Vasant DH, Abraham A, Paine PA. Endoscopically assisted suturing of a persistent gastrocutaneous fistula by using a site closure device., 2013; 78:553–4 (Letter to the Editor)
Vege SS. (*see* Fujii et al). 2013; 78:854–64
Vemulapalli KC, Rex DK. Rapid intraluminal growth of a colorectal cancer observed by endoscopy., 2013; 78:802–3 (Letters to the Editor)
Venkatesh PGK. (*see* Navaneethan et al). 2013; 78:81–90
Verlaan T, Rohof WO, Bredenoord AJ, Bredenoord AJ, Eberl S, Rösch T, Fockens P. Effect of peroral endoscopic myotomy on esophagogastric junction physiology in patients with achalasia., 2013; 78:39–44
Victor D. (*see* Kim et al). 2013; 78:154–7 (New methods: Clinical Endoscopy)
Vienne A. (*see* Leblanc et al). 2013; (*see* Alatawi et al). 2013; 78:169–75 (Case studies); 78:179–83 (Case study)
Vieth M. (*see* Neumann et al). 2013; 78:115–20
Vila-Costas J. (*see* Romero-Castro et al). 2013; 78:711–21
Vilmann P. (*see* Săftoiu and Vilmann). 2013; 78:188–9 (Letter to the editor)
Vinod K. (*see* Tandan et al). 2013; 78:726–33
Visser BC. (*see* Park et al). 2013; 78:295–302
Visser M. (*see* van Vilsteren et al). 2013; 78:30–8
Voigtländer T. (*see* Negm et al). 2013; 78:303–11
Voltaggio L. (*see* Arnold et al). 2013; 78:385–6 (Letter to the Editor)
von Renteln D. (*see* Denzer et al). 2013; 78:774–80 (New methods: Experimental Endoscopy)
Vonberg R-P. (*see* Negm et al). 2013; 78:303–11

W

Wakim-Fleming J. (*see* Choi et al). 2013; 78:325–32
Walia SS, Sachdeva A, Kim JJ, Portocarrero DJ, Lewis TD, Zhao YS. Cyanoacrylate spray for treatment of difficult-to-control GI bleeding., 2013; 78:536–9 (New methods: Clinical Endoscopy)
Walker AJ, Caldera F. Corrosive esophageal injury by button battery., 2013; 78:654–5 (At the focal point)
Wallace MB. (*see* Draganov et al). 2013; 78:677–88 (Technical review)
Wallace MB. Not so NICE to be serrated., 2013; 78:910–1 (Editorial)
Wang AY. Endoscopic submucosal tunnel dissection: the space between., 2013; 78:953–5 (Editorial)

Wang H-Y, Shih S-C, Chen Y-B, Chang C-W, Chen M-J. En bloc resection of large gastric submucosal tumor with endoscopic submucosal dissection., 2013; 78:940–1 (At the focal point)
Wang KK. The essence of management of Barrett's esophagus., 2013; 78:702–3 (Editorial)
Wang W, Shpaner A, Krishna SG, Ross WA, Bhutani MS, Tamm EP, Raju GS, Xiao L, Wolff RA, Fleming JB, Lee JH. Use of EUS-FNA in diagnosing pancreatic neoplasm without a definitive mass on CT., 2013; 78:73–80
Wang X. (*see* Al-Haddad et al). 2013; 78:165–7 (At the focal point)
Wani S, Rastogi A. Narrow-band imaging in the prediction of submucosal invasive colon cancer: how "NICE" is it?, 2013; 78:633–6 (Editorial)
Wani S. (*see* Singh et al). 2013; 78:689–95
Wanke C. (*see* van der Schaar et al). 2013; 78:520–8
Watanabe S. (*see* Osada et al). 2013; 78:793–8 (Case study)
Weber L. (*see* Choi et al). 2013; 78:325–32
Wedemeyer J. (*see* Negm et al). 2013; 78:303–11
Weitz JI. (*see* Desai et al). 2013; 78:227–39 (Review article)
Weston B. (*see* Buxbaum et al). 2013; (*see* Buxbaum et al). 2013; 78:529 (CME activity); 78:912–9 (CME activity)
Weusten BLAM. (*see* van Vilsteren et al). 2013; 78:30–8
Widmer J, Giovannini M, Artifon E, Perez-Miranda M, Itoi T, Kahaleh M. Training the next generation of advanced endoscopists in EUS-guided biliary and pancreatic drainage: learning from master endoscopists. 2013; 78:638–41 (The fellows' corner)
Widmer J. (*see* Khashab et al). 2013; 78:734–41
Wilcox CM. (*see* Mönkemüller et al). 2013; (*see* Monkemuller et al). 2013; 78:346–50 (Thinking outside the box); 78:383–5 (Letters to the Editor)
Williams SJ. (*see* Fahrtash-Bahin et al). 2013; 78:158–63 (New methods: Clinical Endoscopy)
Williamson K. (*see* Bryant et al). 2013; 78:576–83
Wodziak D. (*see* Park et al). 2013; 78:295–302
Wolff RA. (*see* Wang et al). 2013; 78:73–80
Won SH. (*see* Ryu et al). 2013; 78:285–94
Wong Kee Song LM. (*see* Levy et al). 2013; (*see* Fujii et al). 2013; 78:722–5 (Editorial); 78:787–92 (Case studies)
Wong RCK. (*see* Salah et al). 2013; (*see* Wu X-r et al). 2013; 78:574 (Videogie); 78:875–85
Wu M. (*see* Park et al). 2013; 78:295–302
Wu X-r, Wong RCK, Shen B. Endoscopic needle-knife therapy for ileal pouch sinus: a novel approach for the surgical adverse event (with video)., 2013; 78:875–85

X

Xiao L. (*see* Wang et al). 2013; 78:73–80
Xu M-D. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)

Y

Yaghoobi M, Mayrand S, Martel M, Roshan-Afshar I, Bijarchi R, Barkun A. Laparoscopic Heller's myotomy versus pneumatic dilation in the treatment of idiopathic achalasia: a meta-analysis of randomized, controlled trials., 2013; 78:468–75
Yagioka H. (*see* Uchino et al). 2013; 78:842–50
Yahagi N. (*see* Itoi et al). 2013; 78:934–9 (New methods: Experimental Endoscopy)
Yahara S. (*see* Koh et al). 2013; 78:476–83
Yam C. (*see* Bryant et al). 2013; 78:576–83
Yamaguchi Y. (*see* Imai et al). 2013; 78:22–9
Yamamoto H. (*see* Arantes et al). 2013; 78:946–52 (Case study)
Yamamoto N. (*see* Hamada et al). 2013; (*see* Uchino et al). 2013; (*see* Sasahira et al). 2013; 78:817 (VideoGIE); 78:842–50; 78:925–9 (New methods: Clinical Endoscopy)
Yanagihara Y. (*see* Uchino et al). 2013; 78:842–50
Yao L-Q. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Yoo BM. (*see* Lee et al). 2013; 78:925–9 (New methods)
Yoshida A. (*see* Eleftheriadis et al). 2013; (*see* Hayee et al). 2013; (*see* Maselli et al). 2013; (*see* Eleftheriadis et al). 2013; 78:359–60 (At the focal point); 78:452–61 (Review article); 78:551–3 (Letter to the Editor); 78:676 (VideoGIE)
Yoshida A. (*see* Sato et al). 2013; 78:250–7
Yoshida T. (*see* Shimizu et al). 2013; 78:351–8 (New methods: Clinical Endoscopy)
Yoshinaga S. (*see* Nonaka et al). 2013; 78:63–72
Youn SJ. (*see* Park et al). 2013; 78:655–6 (At the focal point)
Yüksel M. (*see* Ödemiş et al). 2013; 78:554–6 (Letter to the Editor)
Yusoff IF. (*see* Tee et al). 2013; (*see* Chen et al). 2013; 78:542–3 (At the focal point); 78:780–1 (At the focal point)

Z

Zhang Y-Q. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Zhao YS. (*see* Walia et al). 2013; 78:536–9 (New methods: Clinical Endoscopy)
Zheng M. (*see* Park et al). 2013; 78:295–302
Zhong Y-S. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Zhou P-H. (*see* Li Q-L et al). 2013; 78:370–4 (Case study)
Zou H. (*see* van der Schaar et al). 2013; 78:520–8

SUBJECT INDEX TO VOLUME 78*
(July-December 2013)

A

Ablation techniques
Electrosurgical generators (ASGE Technology Committee). 2013;78:197-208 (Technology status evaluation report)
Postablative stricture formation in ultra-long-segment Barrett's esophagus (Manickam and Kanaan) (Letter); (Dulai et al) (Response). 2013;78:191
Radiofrequency ablation for refractory gastric antral vascular ectasia (with video) (McGorisk et al). 2013;78:584-8 (Original article: Clinical endoscopy)
A simplified regimen for focal radiofrequency ablation of Barrett's mucosa: a randomized multicenter trial comparing two ablation regimens (van Vilsteren et al). 2013;78:30-8 (Original article: Clinical endoscopy)
Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation (Hamada et al). 2013;78:817 (VideoGIE)
US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation (Di Matteo et al). 2013;78:750-5 (Original article: Experimental endoscopy)

Abscess
EUS-guided drainage of liver abscess by using a lumen-apposing metal stent (with video) (Alcaide et al). 2013;78:941-2 (At the focal point)
Gastric heterotopic pancreas abscess leading to gastric outlet obstruction (Hasan et al) (Letter). 2013;78:550-1
Intramural gastric abscess from dropped gallstones presenting as a subepithelial lesion (with video) (Chen et al). 2013;78:781-2 (At the focal point)

Achalasia
Early diagnosis and management of delayed bleeding in the submucosal tunnel after peroral endoscopic myotomy for achalasia (with video) (Li et al). 2013;78:370-4 (Case study)
Effect of peroral endoscopic myotomy on esophagogastric junction physiology in patients with achalasia (Verlaan et al). 2013;78:39-44 (Original article: Clinical endoscopy)
Laparoscopic Heller's myotomy versus pneumatic dilation in the treatment of idiopathic achalasia: a meta-analysis of randomized, controlled trials (Yaghoobi et al). 2013;78:468-75 (Original article: Clinical endoscopy)
POEM: Way to go! (Swanstrom). 2013;78:45-6 (Editorial)

Adenoma; *see also* Colorectal neoplasms; Polyps
The impact of fair colonoscopy preparation on colonoscopy use and adenoma miss rates in patients undergoing outpatient colonoscopy (Menees et al). 2013;78:510-6 (Original article: Clinical endoscopy)
Not so NICE to be serrated (Wallace). 2013;78:910-1 (Editorial)
Optical biopsy of sessile serrated adenomas: do these lesions resemble hyperplastic polyps under narrow-band imaging? (Kumar et al). 2013;78:902-9 (Original article: Clinical endoscopy)
"Underwater" EMR of sporadic laterally spreading nonampullary duodenal adenomas (with video) (Binmoeller et al). 2013;78:496-502 (Original article: Clinical endoscopy)
When is a fair bowel preparation fair enough? (Deenadayalu). 2013;78:517-9 (Editorial)

Aged
Modifications in endoscopic practice for the elderly (ASGE Standards of Practice Committee) 2013;78:1-7 (Guideline). Correction 2013;78:559
Safety of capsule endoscopy in the octogenarian as compared with younger patients (Gómez et al). 2013;78:744-9 (Original article: Clinical endoscopy)

AIMS65 score
AIMS65 score predicts short-term mortality but not the need for intervention in acute upper GI bleeding (Chandra) (Letter); (Abougergi and Saltzman) (Response). 2013;78:381-3
Scoring system in upper GI bleeding (Lin) (Letter); (Abougergi and Saltzman) (Response). 2013;78:557-8

Algorithms
Prospective evaluation of a treatment algorithm with enhanced guidewire manipulation protocol for EUS-guided biliary drainage after failed ERCP (with video) (Park et al). 2013;78:91-101 (Original article: Clinical endoscopy)

Analgesia, patient-controlled
Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial (Nguyen et al). 2013;78:892-901 (Original article: Clinical endoscopy)

Anemia, iron-deficiency
Diagnostic yield of small-bowel capsule endoscopy in patients with iron deficiency anemia: does it affect management? (Sidhu et al) (Letter); (Koulaouzidis et al) (Response). 2013;78:800-1

Annual tree ring sign
The annual tree ring sign: a new endoscopic finding of mucosal prolapse syndrome (Ninomiya et al). 2013;78:657-8 (At the focal point)

Antibiotics
Microbiologic analysis of peri-pancreatic fluid collected during EUS in patients with pancreatitis: impact on antibiotic therapy (Negm et al). 2013;78:303-11 (Original article: Clinical endoscopy)

Anticoagulants
Novel oral anticoagulants in gastroenterology practice (Desai et al). 2013;78:227-39 (Review article)

Argon plasma coagulation
Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation (Hamada et al). 2013;78:817 (VideoGIE)

Atrial fibrillation
Novel oral anticoagulants in gastroenterology practice (Desai et al). 2013;78:227-39 (Review article)

Atrium, left
Left atrial thrombus incidentally discovered during EUS (Johal et al). 2013;78:544 (At the focal point)

Authorship
Acknowledging the first author and corresponding author of published work (Tang) (Letter). 2013;78:801-2

Autopsy
Minimally invasive autopsy by using postmortem endoluminal and transluminal endoscopy and EUS (Denzer et al). 2013;78:774-80 (New method: Experimental endoscopy)

B

Balloon dilatation
Control of severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinoma: oral steroid therapy with balloon dilation or balloon dilation alone (Sato et al). 2013;78:250-7 (Original article: Clinical endoscopy)
Esophageal strictures after extensive endoscopic resection: hope for a better outcome? (Deprez). 2013;78:258-9 (Editorial)
Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5
Tools for endoscopic stricture dilation (ASGE Technology Committee). 2013;78:391-404 (Status evaluation report)

Bariatric surgery
Complete endoscopic/transgastric retrieval of eroded gastric band: a novel technique (Prathanvanich and Chand). 2013;78:816 (VideoGIE)
Endoscopic sleeve gastroplasty: a potential endoscopic alternative to surgical sleeve gastrectomy for treatment of obesity (Abu Dayyeh et al). 2013;78:530-5 (New method: Clinical endoscopy)
Symptomatic bacterial contamination of an intragastric balloon (Madeira et al). 2013;78:360-1 (At the focal point)

Barrett's esophagus; *see also* Esophageal neoplasms
The essence of management of Barrett's esophagus (Wang). 2013;78:702-3 (Editorial)
Liquid nitrogen spray cryotherapy in Barrett's esophagus with high-grade dysplasia: long-term results (Gosain et al). 2013;78:260-5 (Original article: Clinical endoscopy)
Location, location, location: does early cancer in Barrett's esophagus have a preference? (Enestvedt et al). 2013;78:462-7 (Original article: Clinical endoscopy)
Postablative stricture formation in ultra-long-segment Barrett's esophagus (Manickam and Kanaan) (Letter); (Dulai et al) (Response). 2013;78:191
Practice patterns among U.S. gastroenterologists regarding endoscopic management of Barrett's esophagus (Singh et al). 2013;78:689-95 (Original article: Clinical endoscopy)
A simplified regimen for focal radiofrequency ablation of Barrett's mucosa: a randomized multicenter trial comparing two ablation regimens (van Vilsteren et al). 2013;78:30-8 (Original article: Clinical endoscopy)
A survey of expert follow-up practices after successful endoscopic eradication therapy for Barrett's esophagus with high-grade dysplasia and intramucosal adenocarcinoma (Bedi et al).

*July, pp. 1-196; August, pp. 197-390; September, pp. 391-560; October, pp. 561-674; November, pp. 675-804; December, pp. 805-986.

2013;78:696-701 (Original article: Clinical endoscopy)

Biliary stricture or obstruction

Biliary stricture secondary to portal biliopathy (D'Souza et al). 2013;78:942-4 (At the focal point)

Clinical utility of EUS before cholangioscopy in the evaluation of difficult biliary strictures (Nguyen et al). 2013;78:868-74 (Original article: Clinical endoscopy)

Comparison of the utility of covered metal stents versus uncovered metal stents in the management of malignant biliary strictures in 749 patients (Lee et al). 2013;78:312-24 (Original article: Clinical endoscopy)

Endoscopic management of acute cholecystitis after metal stent placement in patients with malignant biliary obstruction: a case series (Saxena et al). 2013;78:175-8 (Case study)

EUS-guided biliary drainage by using a hepatogastrostomy approach (Khashab et al). 2013;78:675 (VideoGIE)

EUS-guided biliary drainage by using a standardized approach for malignant biliary obstruction: rendezvous versus direct transluminal techniques (with videos) (Khashab et al). 2013;78:734-41 (Original article: Clinical endoscopy)

EUS-guided biliary drainage: Is it ready for prime time? Yes! (Khashab and DeWitt). 2013;78:102-5 (Editorial)

EUS-guided biliary drainage: taxing and not ready (Varadarajulu and Hawes). 2013;78:742-3 (Editorial)

Expanding indication: EUS-guided hepaticoduodenostomy for isolated right intrahepatic duct obstruction (with video) (Park et al). 2013;78:374-80 (Case study)

Fully covered self-expandable metal stents for treatment of benign biliary strictures (Kaffes and Liu). 2013;78:13-21 (Review article)

Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5

Prospective evaluation of a treatment algorithm with enhanced guidewire manipulation protocol for EUS-guided biliary drainage after failed ERCP (with video) (Park et al). 2013;78:91-101 (Original article: Clinical endoscopy)

Biliary tract neoplasms

Endoscopic resection of hilar papillomatosis after Whipple procedure for ampullary adenoma (Law et al). 2013;78:226 (VideoGIE)

Biological markers

Metabolomic-derived novel cyst fluid biomarkers for pancreatic cysts: glucose and kynurenine (Park et al). 2013;78:295-302 (Original article: Clinical endoscopy)

Biopsy; *see also* Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)

Endoscopic mucosal tissue sampling (ASGE Standards of Practice Committee) 2013;78:216-24 (Guideline). Correction 2013;78:673

Non-lifting sign from cold biopsy of sessile serrated polyp (Sweetser and Baron). 2013;78:167-8 (At the focal point)

Not so NICE to be serrated (Wallace). 2013;78:910-1 (Editorial)

Optical biopsy of sessile serrated adenomas: do these lesions resemble hyperplastic polyps under narrow-band imaging? (Kumar et al). 2013;78:902-9 (Original article: Clinical endoscopy)

Bleeding; *see* Hemorrhage and hemostasis

Book review

ERCP (Baron et al, editors) (Siegel). 2013;78:643-4

Bowel preparation

The impact of fair colonoscopy preparation on colonoscopy use and adenoma miss rates in patients undergoing outpatient colonoscopy (Menees et al). 2013;78:510-6 (Original article: Clinical endoscopy)

Split-dose administration of a dual-action, low-volume bowel cleanser for colonoscopy: the SEE CLEAR I study (Rex et al). 2013;78:132-41 (Original article: Clinical endoscopy)

Sugar-free menthol candy drops improve the palatability and bowel cleansing effect of polyethylene glycol electrolyte solution (Sharara et al). 2013;78:886-91 (Original article: Clinical endoscopy)

Validation of the Harefield Cleansing Scale: a tool for the evaluation of bowel cleansing quality in both research and clinical practice (Halphen et al). 2013;78:121-31 (Original article: Clinical endoscopy)

When is a fair bowel preparation fair enough? (Deenadayalu). 2013;78:517-9 (Editorial)

Button batteries

Corrosive esophageal injury by button battery (Walker and Caldera). 2013;78:654-5 (At the focal point)

C

Capsule endoscopy (CE)

Capsule endoscopy and deep enteroscopy (Gerson). 2013;78:439-43 (DDW highlights)

Diagnostic yield of small-bowel capsule endoscopy in patients with iron deficiency anemia: does it affect management? (Sidhu et al) (Letter); (Koulaouzidis et al) (Response). 2013;78:800-1

"Drivers ed" with a road test for the capsule endoscopist (Buscaglia). 2013;78:623-4 (Editorial)

Endoscopic diagnosis of celiac disease: what is the role of capsule endoscopy? (Tursi) (Letter). 2013;78:381

A multicenter, prospective, randomized comparison of a novel signal transmission capsule endoscope to an existing capsule endoscope (Choi et al). 2013;78:325-32 (Original article: Clinical endoscopy)

A novel ingestible electronic drug delivery and monitoring device (van der Schaar et al). 2013;78:520-8 (Original article: Experimental endoscopy)

Risk stratification by using an esophageal capsule (Lin) (Letter); (Chandran and Testro) (Response). 2013;78:672-3

Safety of capsule endoscopy in the octogenarian as compared with younger patients (Gómez et al). 2013;78:744-9 (Original article: Clinical endoscopy)

Training in small-bowel capsule endoscopy: assessing and defining competency (Rajan et al). 2013;78:617-22 (Original article: Clinical endoscopy)

Wireless capsule endoscopy (ASGE Technology Committee). 2013;78:805-15

Carbon dioxide

Carbon dioxide insufflation for colonoscopy (Lin) (Letter); (Chen and Hsieh) (Response). 2013;78:799-800

Carcinoma, squamous cell

Endoscopic in vivo cellular imaging of superficial squamous cell carcinoma of the head and neck by using an integrated endocytoscopy system (with video) (Shimizu et al). 2013;78:351-8 (New method: Clinical endoscopy)

Cardiac resynchronization therapy devices

An update on the management of implanted cardiac devices during electrosurgical procedures (Parekh et al). 2013;78:836-41 (Review article)

Celiac disease

Endoscopic diagnosis of celiac disease: what is the role of capsule endoscopy? (Tursi) (Letter). 2013;78:381

Child

Diagnostic yield of EGD in children: a retrospective single-center study of 1000 cases (Sheiko et al). 2013;78:47-54 (Original article: Clinical endoscopy)

A novel method of gastrojejunal tube placement using endoclips in pediatric patients: a case series (Pierog et al). 2013;78:664-7 (Case study)

Cholangioscopy

Clinical utility of EUS before cholangioscopy in the evaluation of difficult biliary strictures (Nguyen et al). 2013;78:868-74 (Original article: Clinical endoscopy)

Prospective randomized comparison of short-access mother-baby cholangioscopy versus direct cholangioscopy with ultraslim gastroscopes (Pohl et al). 2013;78:609-16 (Original article: Clinical endoscopy)

Cholangitis

Delay in performing ERCP and adverse events increase the 30-day readmission risk in patients with acute cholangitis (Navaneethan et al). 2013;78:81-90 (Original article: Clinical endoscopy)

Cholecystectomy

The "Lasso" technique: snare-assisted endoscopic-radiological rendezvous technique for the management of complete transection of the main bile duct (Ödemiş et al) (Letter). 2013;78:554-6

Cholecystitis

Endoscopic management of acute cholecystitis after metal stent placement in patients with malignant biliary obstruction: a case series (Saxena et al). 2013;78:175-8 (Case study)

Chromoendoscopy

Interventional chromoendoscopy (Mönkemüller and Wilcox). 2013;78:346-50 (Thinking outside the box)

Learning curve of virtual chromoendoscopy for the prediction of hyperplastic and adenomatous colorectal lesions: a prospective 2-center study (Neumann et al). 2013;78:115-20 (Original article: Clinical endoscopy)

Citation

Acknowledging the first author and corresponding author of published work (Tang) (Letter). 2013;78:801-2

Clips

Endoscopic treatment of Zenker's diverticulum: do we always need endoclips? (Manno et al) (Letter); (Huberty and Devière) (Response). 2013;78:556-7

A novel method of gastrojejunal tube placement using endoclips in pediatric patients: a case series (Pierog et al). 2013;78:664-7 (Case study)

Prophylactic clip closure (Burgess et al) (Letter); (Rex) (Response). 2013;78:386-8

Severe laceration in a percutaneous endoscopic jejunostomy placement resolved with over-the-scope clips (Balmadrid and Ross). 2013;78:783-5 (At the focal point)

Clostridium difficile
An overview of fecal microbiota transplantation: techniques, indications, and outcomes (Brandt and Aroniadis). 2013;78:240-9
Colitis, ulcerative
Endoscopic therapy in inflammatory bowel diseases (with videos) (Paine and Shen). 2013;78:819-35 (Technical review)
Colonic diseases
The annual tree ring sign: a new endoscopic finding of mucosal prolapse syndrome (Ninomiya et al). 2013;78:657-8 (At the focal point)
Hemostatic powder as rescue therapy in a patient with H1N1 influenza with uncontrolled colon bleeding (Granata et al). 2013;78:451 (VideoGIE)
Rectal cancer developing in the setting of a cavernous hemangioma of the rectosigmoid colon (Pola et al). 2013;78:575 (VideoGIE)
Colonoscopy
Accuracy of narrow-band imaging in predicting colonoscopy surveillance intervals and histology of distal diminutive polyps: results from a multicenter, prospective trial (Repici et al). 2013;78:106-14 (Original article: Clinical endoscopy)
Assessment of comfort during colonoscopy: a nurse- or patient-rated scale? (Ball and Riley) (Letter). 2013;78:668
Carbon dioxide insufflation for colonoscopy (Lin) (Letter); (Chen and Hsieh) (Response). 2013;78:799-800
Colonoscopy (Rex). 2013;78:444-9 (DDW highlights)
Colonoscopy quality improvement: practice to public health (Richter). 2013;78:919-24 (Perspectives)
Do breaks in gastroenterology fellow endoscopy training result in a decrement in competency in colonoscopy? (Jorgensen et al). 2013;78:503-9 (Original article: Clinical endoscopy)
Endoscopes for endoscopists with small hands: a call to meet an unmet demand (Cappell and Co) (Letter). 2013;78:670-2
The impact of fair colonoscopy preparation on colonoscopy use and adenoma miss rates in patients undergoing outpatient colonoscopy (Menees et al). 2013;78:510-6 (Original article: Clinical endoscopy)
Non-lifting sign from cold biopsy of sessile serrated polyp (Sweetser and Baron). 2013;78:167-8 (At the focal point)
Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial (Nguyen et al). 2013;78:892-901 (Original article: Clinical endoscopy)
Rapid intraluminal growth of a colorectal cancer observed by endoscopy (Vemulapalli and Rex). 2013;78:802-3
Relationship of colonoscopy-detected serrated polyps with synchronous advanced neoplasia in average-risk individuals (Álvarez et al). 2013;78:333-41 (Original article: Clinical endoscopy)
Split-dose administration of a dual-action, low-volume bowel cleanser for colonoscopy: the SEE CLEAR I study (Rex et al). 2013;78:132-41 (Original article: Clinical endoscopy)
Sugar-free menthol candy drops improve the palatability and bowel cleansing effect of polyethylene glycol electrolyte solution (Sharara et al). 2013;78:886-91 (Original article: Clinical endoscopy)
Validation of the Harefield Cleansing Scale: a tool for the evaluation of bowel cleansing quality in both research and clinical practice (Halphen et al). 2013;78:121-31 (Original article: Clinical endoscopy)
When is a fair bowel preparation fair enough? (Deenadayalu). 2013;78:517-9 (Editorial)
Colorectal neoplasms; *see also* Polyps; Rectal neoplasms
Endoscopic prediction of deep submucosal invasive carcinoma: validation of the Narrow-Band Imaging International Colorectal Endoscopic (NICE) classification (Hayashi et al). 2013;78:625-32 (Original article: Clinical endoscopy)
Learning curve of virtual chromoendoscopy for the prediction of hyperplastic and adenomatous colorectal lesions: a prospective 2-center study (Neumann et al). 2013;78:115-20 (Original article: Clinical endoscopy)
Narrow-band imaging in the prediction of submucosal invasive colon cancer: how "NICE" is it? (Wani and Rastogi). 2013;78:633-6 (Editorial)
Process of wound healing of large mucosal defect areas that were sutured by using a loop clip–assisted closure technique after endoscopic submucosal dissection of a colorectal tumor (Osada et al). 2013;78:793-8 (Case study)
Rapid intraluminal growth of a colorectal cancer observed by endoscopy (Vemulapalli and Rex). 2013;78:802-3
Relationship of colonoscopy-detected serrated polyps with synchronous advanced neoplasia in average-risk individuals (Álvarez et al). 2013;78:333-41 (Original article: Clinical endoscopy)
Role of endoscopy in the staging and management of colorectal cancer (ASGE Standards of Practice Committee) 2013;78:8-12 (Guideline). Correction 2013;78:559
Snare tip soft coagulation achieves effective and safe endoscopic hemostasis during wide-field endoscopic resection of large colonic lesions (with videos) (Fahrtash-Bahin et al). 2013;78:158-63 (New method: Clinical endoscopy)
Common bile duct
The "Lasso" technique: snare-assisted endoscopic-radiological rendezvous technique for the management of complete transection of the main bile duct (Ödemi et al) (Letter). 2013;78:554-6
Competency-based education
"Drivers ed" with a road test for the capsule endoscopist (Buscaglia). 2013;78:623-4 (Editorial)
Training in small-bowel capsule endoscopy: assessing and defining competency (Rajan et al). 2013;78:617-22 (Original article: Clinical endoscopy)
Continuing Medical Education Activity
August 2013. 2013;78:342
December 2013. 2013;78:912
July 2013. 2013;78:142
November 2013. 2013;78:763
October 2013. 2013;78:637
September 2013. 2013;78:529
Correspondence; *see* Letters to the Editor
Crohn disease
Endoscopic therapy in inflammatory bowel diseases (with videos) (Paine and Shen). 2013;78:819-35 (Technical review)
Initial experience of a through-the-scope balloon device for ileal intubation in Crohn's disease (Rubin and Goeppinger) (Letter). 2013;78:669-70
Cryotherapy
Liquid nitrogen spray cryotherapy in Barrett's esophagus with high-grade dysplasia: long-term results (Gosain et al). 2013;78:260-5 (Original article: Clinical endoscopy)
Cyanoacrylates
Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion (Nadal et al) (Letter). 2013;78:964-5
Cyanoacrylate spray for treatment of difficult-to-control GI bleeding (Walia et al). 2013;78:536-9 (New method: Clinical endoscopy)
EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5 (Editorial)
EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos) (Romero-Castro et al). 2013;78:711-21 (Original article: Clinical endoscopy)
Through-the-scope Doppler US-guided cyanoacrylate injection: a new technique for the treatment of gastric variceal hemorrhage (Salah et al). 2013;78:574 (VideoGIE)
Tissue adhesives: cyanoacrylate glue and fibrin sealant (ASGE Technology Committee). 2013;78:209-15 (Technology status evaluation report)
Cytological techniques
Endoscopic in vivo cellular imaging of superficial squamous cell carcinoma of the head and neck by using an integrated endocytoscopy system (with video) (Shimizu et al). 2013;78:351-8 (New method: Clinical endoscopy)

D

Defibrillators, implantable
An update on the management of implanted cardiac devices during electrosurgical procedures (Parekh et al). 2013;78:836-41 (Review article)
Dieulafoy lesion
Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion (Nadal et al) (Letter). 2013;78:964-5
Digestive Disease Week (DDW)
Capsule endoscopy and deep enteroscopy (Gerson). 2013;78:439-43
Colonoscopy (Rex). 2013;78:444-9
Endoscopic innovations (Hawes). 2013;78:410-3
Endoscopic tumor diagnosis and treatment (Gaddam and Edmundowicz). 2013;78:421-7
ERCP (Law and Baron). 2013;78:428-33
Esophageal disease (Pech). 2013;78:405-9
EUS (Brugge). 2013;78:414-20
Gastrointestinal bleeding (Dinis-Ribeiro). 2013;78:434-8
Dilatation; *see also* Balloon dilatation
Laparoscopic Heller's myotomy versus pneumatic dilation in the treatment of idiopathic achalasia: a meta-analysis of randomized, controlled trials (Yaghoobi et al). 2013;78:468-75 (Original article: Clinical endoscopy)
Tools for endoscopic stricture dilation (ASGE Technology Committee). 2013;78:391-404 (Status evaluation report)
Double-balloon enteroscopy (DBE)
Capsule endoscopy and deep enteroscopy (Gerson). 2013;78:439-43 (DDW highlights)
Enteropathy-associated T-cell lymphoma diagnosed and followed-up by using double-balloon enteroscopy (Fukushima et al). 2013;78:361-3 (At the focal point)

Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5

Drug delivery system

A novel ingestible electronic drug delivery and monitoring device (van der Schaar et al). 2013;78:520-8 (Original article: Experimental endoscopy)

Duodenal diseases

Endoscopic appearance of duodenal mucosa in GI leishmaniasis (Samiullah et al) (Letter); (Salkic et al) (Response). 2013;78:962-3

Epithelialized omental patch masquerading as a duodenal lipoma (Sagi et al). 2013;78:363-4 (At the focal point)

"Underwater" EMR of sporadic laterally spreading nonampullary duodenal adenomas (with video) (Binmoeller et al). 2013;78:496-502 (Original article: Clinical endoscopy)

E

Editorials

"Drivers ed" with a road test for the capsule endoscopist (Buscaglia). 2013;78:623-4

Endoscopic submucosal tunnel dissection: the space between (Wang). 2013;78:953-5

Esophageal strictures after extensive endoscopic resection: hope for a better outcome? (Deprez). 2013;78:258-9

The essence of management of Barrett's esophagus (Wang). 2013;78:702-3

EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5

EUS-guided biliary drainage: Is it ready for prime time? Yes! (Khashab and DeWitt). 2013;78:102-5

EUS-guided biliary drainage: taxing and not ready (Varadarajulu and Hawes). 2013;78:742-3

EUS-guided pancreatic duct drainage: ready for prime time? (Giovannini). 2013;78:865-7

The gallbladder polyp conundrum: a riddler on the wall (Maydeo and Dhir). 2013;78:494-5

Narrow-band imaging in the prediction of submucosal invasive colon cancer: how "NICE" is it? (Wani and Rastogi). 2013;78:633-6

Not so NICE to be serrated (Wallace). 2013;78:910-1

POEM: Way to go! (Swanstrom). 2013;78:45-6

Preventing post-ERCP pancreatitis (Enns and Lee). 2013;78:851-3

What we want for ESD is a second hand! Traction method (Fukami). 2013;78:274-6

When is a fair bowel preparation fair enough? (Deenadayalu). 2013;78:517-9

Education, medical

Do breaks in gastroenterology fellow endoscopy training result in a decrement in competency in colonoscopy? (Jorgensen et al). 2013;78:503-9 (Original article: Clinical endoscopy)

"Drivers ed" with a road test for the capsule endoscopist (Buscaglia). 2013;78:623-4 (Editorial)

Enteral stents: from esophagus to colon (Kochar and Shah). 2013;78:913-8 (The Fellows' Corner)

How to review (Sonnenberg and Boardman). 2013;78:343-5 (The Fellows' Corner)

Training in small-bowel capsule endoscopy: assessing and defining competency (Rajan et al). 2013;78:617-22 (Original article: Clinical endoscopy)

Training the next generation of advanced endoscopists in EUS-guided biliary and pancreatic drainage: learning from master endoscopists (Widmer et al). 2013;78:638-41 (The Fellows' Corner)

VideoGIE – Launch! (Eisen et al). 2013;78:225 (Editorial)

EGD; *see* Esophagogastroduodenoscopy (EGD)

Elasticity imaging techniques

Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms (Săftoiu and Vilmann) (Letter); (Dawwas et al) (Response). 2013;78:188-90

Elderly; *see* Aged

Electrosurgery

An update on the management of implanted cardiac devices during electrosurgical procedures (Parekh et al). 2013;78:836-41 (Review article)

Electrosurgical generators (ASGE Technology Committee). 2013;78:197-208 (Technology status evaluation report)

Embolization, therapeutic

EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5 (Editorial)

EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos) (Romero-Castro et al). 2013;78:711-21 (Original article: Clinical endoscopy)

EMR; *see* Endoscopic mucosal resection (EMR)

Endoscopes

Endoscopes for endoscopists with small hands: a call to meet an unmet demand (Cappell and Co) (Letter). 2013;78:670-2

Initial experience of a through-the-scope balloon device for ileal intubation in Crohn's disease (Rubin and Goeppinger) (Letter). 2013;78:669-70

Nonsurgical treatment of actively bleeding internal hemorrhoids with a novel endoscopic device (with video) (Kantsevoy and Bitner). 2013;78:649-53 (New method: Clinical endoscopy)

Prospective randomized comparison of short-access mother-baby cholangioscopy versus direct cholangioscopy with ultraslim gastroscopes (Pohl et al). 2013;78:609-16 (Original article: Clinical endoscopy)

Endoscopic mucosal resection (EMR)

Prophylactic clip closure (Burgess et al) (Letter); (Rex) (Response). 2013;78:386-8

Snare tip soft coagulation achieves effective and safe endoscopic hemostasis during wide-field endoscopic resection of large colonic lesions (with videos) (Fahrtash-Bahin et al). 2013;78:158-63 (New method: Clinical endoscopy)

Techniques of endoscopic submucosal dissection: application for the Western endoscopist? (Draganov et al). 2013;78:677-88 (Technical review)

"Underwater" EMR of sporadic laterally spreading nonampullary duodenal adenomas (with video) (Binmoeller et al). 2013;78:496-502 (Original article: Clinical endoscopy)

Endoscopic resection

Dual-scope endoscopic deep dissection of proximal gastric tumors (with video) (Fujii et al). 2013;78:365-9 (Case study)

Endoscopic resection of hilar papillomatosis after Whipple procedure for ampullary adenoma (Law et al). 2013;78:226 (VideoGIE)

Feasibility of a "resect and watch" strategy with endoscopic resection for superficial pharyngeal cancer (Imai et al). 2013;78:22-9 (Original article: Clinical endoscopy)

Endoscopic retrograde cholangiopancreatography (ERCP)

Covered self-expandable biliary stents for the treatment of bleeding after ERCP (Valats et al). 2013;78:183-7 (Case study)

Delay in performing ERCP and adverse events increase the 30-day readmission risk in patients with acute cholangitis (Navaneethan et al). 2013;78:81-90 (Original article: Clinical endoscopy)

ERCP (Law and Baron). 2013;78:428-33 (DDW highlights)

ERCP (Baron et al, editors) (Siegel). 2013;78:643-4

Fascioliasis diagnosed by EUS and ERCP (Lopes). 2013;78:818 (VideoGIE)

Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5

Preventing post-ERCP pancreatitis (Enns and Lee). 2013;78:851-3 (Editorial)

Results of the Tokyo Trial of Prevention of Post-ERCP Pancreatitis with Risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial (Uchino et al). 2013;78:842-50 (Original article: Clinical endoscopy)

Training the next generation of advanced endoscopists in EUS-guided biliary and pancreatic drainage: learning from master endoscopists (Widmer et al). 2013;78:638-41 (The Fellows' Corner)

Endoscopic submucosal dissection (ESD)

Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms (Koh et al). 2013;78:476-83 (Original article: Clinical endoscopy)

Clinical outcomes of early gastric cancer with lateral margin positivity after endoscopic submucosal dissection (Han et al). 2013;78:956-61 (Case study)

Control of severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinoma: oral steroid therapy with balloon dilation or balloon dilation alone (Sato et al). 2013;78:250-7 (Original article: Clinical endoscopy)

Double-endoscope endoscopic submucosal dissection for the treatment of early gastric cancer accompanied by an ulcer scar (with video) (Higuchi et al). 2013;78:266-73 (Original article: Clinical endoscopy)

En bloc resection of large gastric submucosal tumor with endoscopic submucosal dissection (Wang et al). 2013;78:940-1 (At the focal point)

Endoscopic submucosal dissection for early gastric cancer in the remnant stomach after gastrectomy (Nonaka et al). 2013;78:63-72 (Original article: Clinical endoscopy)

Endoscopic submucosal dissection for primary malignant esophageal melanoma (with video) (Eleftheriadis et al). 2013;78:359-60 (At the focal point)

Endoscopic submucosal tunnel dissection: the space between (Wang). 2013;78:953-5 (Editorial)

Esophageal strictures after extensive endoscopic resection: hope for a better outcome? (Deprez). 2013;78:258-9 (Editorial)

A phase II study of endoscopic submucosal dissection for superficial esophageal neoplasms (KDOG 0901) (Higuchi et al). 2013;78:704-10 (Original article: Clinical endoscopy)

Process of wound healing of large mucosal defect areas that were sutured by using a loop clip–assisted closure technique after endoscopic submucosal dissection of a colorectal tumor (Osada et al). 2013;78:793-8 (Case study)

Prospective, randomized comparison of a prototype endoscope with deflecting working channels versus a conventional double-channel endoscope for rectal endoscopic submucosal dissection in an established experimental simulation model (with video) (Jung et al). 2013;78:756-62 (Original article: Experimental endoscopy)

Second-look endoscopy is not associated with better clinical outcomes after gastric endoscopic submucosal dissection: a prospective, randomized, clinical trial analyzed on an as-treated basis (Ryu et al). 2013;78:285-94 (Original article: Clinical endoscopy)

Standardized endoscopic submucosal tunnel dissection for management of early esophageal tumors (with video) (Arantes et al). 2013;78:946-52 (Case study)

Techniques of endoscopic submucosal dissection: application for the Western endoscopist? (Draganov et al). 2013;78:677-88 (Technical review)

What we want for ESD is a second hand! Traction method (Fukami). 2013;78:274-6 (Editorial)

Endoscopic ultrasonography (EUS)

Acute lymphoblastic leukemia with gastric involvement initially diagnosed by endoscopy and EUS (Park et al). 2013;78:655-6 (At the focal point)

Acute pancreatitis complicated by an abdominal mass (Anastassiades and Faulx). 2013;78:541-2 (At the focal point)

Clinical utility of EUS before cholangioscopy in the evaluation of difficult biliary strictures (Nguyen et al). 2013;78:868-74 (Original article: Clinical endoscopy)

Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms (Săftoiu and Vilmann) (Letter); (Dawwas et al) (Response). 2013;78:188-90

EUS (Brugge). 2013;78:414-20 (DDW highlights)

EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5 (Editorial)

EUS-guided biliary drainage by using a hepatogastrostomy approach (Khashab et al). 2013;78:675 (VideoGIE)

EUS-guided biliary drainage by using a standardized approach for malignant biliary obstruction: rendezvous versus direct transluminal techniques (with videos) (Khashab et al). 2013;78:734-41 (Original article: Clinical endoscopy)

EUS-guided biliary drainage: Is it ready for prime time? Yes! (Khashab and DeWitt). 2013;78:102-5 (Editorial)

EUS-guided biliary drainage: taxing and not ready (Varadarajulu and Hawes). 2013;78:742-3 (Editorial)

EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos) (Romero-Castro et al). 2013;78:711-21 (Original article: Clinical endoscopy)

EUS-guided drainage of liver abscess by using a lumen-apposing metal stent (with video) (Alcaide et al). 2013;78:941-2 (At the focal point)

EUS-guided pancreatic duct drainage: ready for prime time? (Giovannini). 2013;78:865-7 (Editorial)

EUS-guided pancreatic duct intervention: outcomes of a single tertiary-care referral center experience (Fujii et al). 2013;78:854-64 (Original article: Clinical endoscopy)

Expanding indication: EUS-guided hepaticoduodenostomy for isolated right intrahepatic duct obstruction (with video) (Park et al). 2013;78:374-80 (Case study)

Fascioliasis diagnosed by EUS and ERCP (Lopes). 2013;78:818 (VideoGIE)

The gallbladder polyp conundrum: a riddler on the wall (Maydeo and Dhir). 2013;78:494-5 (Editorial)

Left atrial thrombus incidentally discovered during EUS (Johal et al). 2013;78:544 (At the focal point)

Minimally invasive autopsy by using postmortem endoluminal and transluminal endoscopy and EUS (Denzer et al). 2013;78:774-80 (New method: Experimental endoscopy)

Novel EUS-guided gastrojejunostomy technique using a new double-balloon enteric tube and lumen-apposing metal stent (with videos) (Itoi et al). 2013;78:934-9 (New method: Experimental endoscopy)

Outcomes of EUS-guided drainage of debris-containing pancreatic pseudocysts by using combined endoprosthesis and a nasocystic drain (Siddiqui et al). 2013;78:589-95 (Original article: Clinical endoscopy)

Prospective evaluation of a treatment algorithm with enhanced guidewire manipulation protocol for EUS-guided biliary drainage after failed ERCP (with video) (Park et al). 2013;78:91-101 (Original article: Clinical endoscopy)

Pulmonary embolism diagnosed with EUS on a patient with adenocarcinoma of the pancreas (with video) (Tee et al). 2013;78:542-3 (At the focal point)

Through-the-scope Doppler US-guided cyanoacrylate injection: a new technique for the treatment of gastric variceal hemorrhage (Salah et al). 2013;78:574 (VideoGIE)

Training the next generation of advanced endoscopists in EUS-guided biliary and pancreatic drainage: learning from master endoscopists (Widmer et al). 2013;78:638-41 (The Fellows' Corner)

US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation (Di Matteo et al). 2013;78:750-5 (Original article: Experimental endoscopy)

Utility of contrast-enhanced harmonic EUS in the diagnosis of malignant gallbladder polyps (with videos) (Choi et al). 2013;78:484-93 (Original article: Clinical endoscopy)

Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)

Perivascular epithelioid cell tumor: an unusual pancreatic mass diagnosed by EUS-FNA (Al-Haddad et al). 2013;78:165-7 (At the focal point)

The role of K-*ras* gene mutation analysis in EUS-guided FNA cytology specimens for the differential diagnosis of pancreatic solid masses: a meta-analysis of prospective studies (Fuccio et al). 2013;78:596-608 (Original article: Clinical endoscopy)

Use of EUS-FNA in diagnosing pancreatic neoplasm without a definitive mass on CT (Wang et al). 2013;78:73-80 (Original article: Clinical endoscopy)

Enteral nutrition

A novel ballooned-tip percutaneous endoscopic gastrojejunostomy tube: a pilot study (Kim et al). 2013;78:154-7 (New method: Clinical endoscopy)

Novel EUS-guided gastrojejunostomy technique using a new double-balloon enteric tube and lumen-apposing metal stent (with videos) (Itoi et al). 2013;78:934-9 (New method: Experimental endoscopy)

A novel method of gastrojejunal tube placement using endoclips in pediatric patients: a case series (Pierog et al). 2013;78:664-7 (Case study)

Severe laceration in a percutaneous endoscopic jejunostomy placement resolved with over-the-scope clips (Balmadrid and Ross). 2013;78:783-5 (At the focal point)

A technique for skin-level gastrostomy tube placement after gastrostomy tube dislodgement (Freedberg et al) (Letter). 2013;78:963-4

Enteropathy-associated T-cell lymphoma

Enteropathy-associated T-cell lymphoma diagnosed and followed-up by using double-balloon enteroscopy (Fukushima et al). 2013;78:361-3 (At the focal point)

Eosinophilia

Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis (Tanaka et al). 2013;78:659-64 (Case study)

Epstein-Barr virus (EBV)

Gastric carcinoma with lymphoid stroma resembling a hypoechoic submucosal tumor (Matsumoto et al). 2013;78:164-5 (At the focal point)

ERCP; *see* Endoscopic retrograde cholangiopancreatography (ERCP)

Errata

Endoscopic mucosal tissue sampling (ASGE Standards of Practice Committee) (2013;78:216-24). 2013;78:673

Modifications in endoscopic practice for the elderly (ASGE Standards of Practice Committee) (2013;78:1-7). 2013;78:559

Pancreatic and biliary stents (ASGE Technology Assessment Committee) (2013;77:319-27). 2013;78:193-5

Role of endoscopy in the staging and management of colorectal cancer (ASGE Standards of Practice Committee) (2013;78:8-12). 2013;78:559

Serrated lesions and hyperplastic (serrated) polyposis relationship with colorectal cancer: classification and surveillance recommendations (Orlowska) (2013;77:858-71). 2013;78:389-90

ESD; *see* Endoscopic submucosal dissection (ESD)

Esophageal diseases

Corrosive esophageal injury by button battery (Walker and Caldera). 2013;78:654-5 (At the focal point)

Endoscopic treatment of Zenker's diverticula (Köksal et al) (Letter); (Huberty and Devière) (Response). 2013;78:668-9

Endoscopic treatment of Zenker's diverticulum: do we always need endoclips? (Manno et al) (Letter); (Huberty and Devière) (Response). 2013;78:556-7

Esophageal disease (Pech). 2013;78:405-9 (DDW highlights)

New endoscopic "scissors" to treat Zenker's diverticulum (Ramchandani and Reddy).

2013;78:645-8 (New method: Clinical endoscopy)
Removing in situ esophageal stents (Baptista et al) (Letter); (van Halsema and van Hooft) (Response). 2013;78:192

Esophageal neoplasms; *see also* Barrett's esophagus
Endoscopic submucosal dissection for primary malignant esophageal melanoma (with video) (Eleftheriadis et al). 2013;78:359-60 (At the focal point)
Endoscopic submucosal tunnel dissection: the space between (Wang). 2013;78:953-5 (Editorial)
The metallic silver sign with narrow-band imaging: a new endoscopic predictor for pharyngeal and esophageal neoplasia (Maselli et al) (Letter). 2013;78:551-3
A phase II study of endoscopic submucosal dissection for superficial esophageal neoplasms (KDOG 0901) (Higuchi et al). 2013;78:704-10 (Original article: Clinical endoscopy)
Standardized endoscopic submucosal tunnel dissection for management of early esophageal tumors (with video) (Arantes et al). 2013;78:946-52 (Case study)

Esophageal stricture or obstruction
Control of severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinoma: oral steroid therapy with balloon dilation or balloon dilation alone (Sato et al). 2013;78:250-7 (Original article: Clinical endoscopy)
Esophageal strictures after extensive endoscopic resection: hope for a better outcome? (Deprez). 2013;78:258-9 (Editorial)

Esophagitis
Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis (Tanaka et al). 2013;78:659-64 (Case study)

Esophagogastric junction
Dual-scope endoscopic deep dissection of proximal gastric tumors (with video) (Fujii et al). 2013;78:365-9 (Case study)
Effect of peroral endoscopic myotomy on esophagogastric junction physiology in patients with achalasia (Verlaan et al). 2013;78:39-44 (Original article: Clinical endoscopy)
POEM: Way to go! (Swanstrom). 2013;78:45-6 (Editorial)
In vivo observation of aberrant innermost longitudinal muscle bundles in front of the circular muscle layer at the level of the esophagogastric junction during peroral endoscopic myotomy (Eleftheriadis et al). 2013;78:676 (VideoGIE)

Esophagogastroduodenoscopy (EGD)
Acute lymphoblastic leukemia with gastric involvement initially diagnosed by endoscopy and EUS (Park et al). 2013;78:655-6 (At the focal point)
Diagnostic yield of EGD in children: a retrospective single-center study of 1000 cases (Sheiko et al). 2013;78:47-54 (Original article: Clinical endoscopy)
Minimally invasive autopsy by using postmortem endoluminal and transluminal endoscopy and EUS (Denzer et al). 2013;78:774-80 (New method: Experimental endoscopy)
The pharynx: examination of an area too often ignored during upper endoscopy (Emura et al). 2013;78:143-9 (Thinking outside the box)

EUS; *see* Endoscopic ultrasonography (EUS)

F

Fascioliasis
Fascioliasis diagnosed by EUS and ERCP (Lopes). 2013;78:818 (VideoGIE)

Fecal microbiota transplantation
An overview of fecal microbiota transplantation: techniques, indications, and outcomes (Brandt and Aroniadis). 2013;78:240-9

Fellowships
Do breaks in gastroenterology fellow endoscopy training result in a decrement in competency in colonoscopy? (Jorgensen et al). 2013;78:503-9 (Original article: Clinical endoscopy)
Enteral stents: from esophagus to colon (Kochar and Shah). 2013;78:913-8 (The Fellows' Corner)
How to review (Sonnenberg and Boardman). 2013;78:343-5 (The Fellows' Corner)
Training the next generation of advanced endoscopists in EUS-guided biliary and pancreatic drainage: learning from master endoscopists (Widmer et al). 2013;78:638-41 (The Fellows' Corner)

Fibrinolytic agents
Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms (Koh et al). 2013;78:476-83 (Original article: Clinical endoscopy)

Fibrin tissue adhesive
Tissue adhesives: cyanoacrylate glue and fibrin sealant (ASGE Technology Committee). 2013;78:209-15 (Technology status evaluation report)

Fistula
Endoscopically assisted suturing of a persistent gastrocutaneous fistula by using a site closure device (Vasant et al) (Letter). 2013;78:553-4

FNA; *see* Endoscopic ultrasonography-guided fine-needle aspiration (EUS-FNA)

Foreign bodies
Corrosive esophageal injury by button battery (Walker and Caldera). 2013;78:654-5 (At the focal point)

G

Gallbladder neoplasms
The gallbladder polyp conundrum: a riddler on the wall (Maydeo and Dhir). 2013;78:494-5 (Editorial)
Utility of contrast-enhanced harmonic EUS in the diagnosis of malignant gallbladder polyps (with videos) (Choi et al). 2013;78:484-93 (Original article: Clinical endoscopy)

Gallstones
Intramural gastric abscess from dropped gallstones presenting as a subepithelial lesion (with video) (Chen et al). 2013;78:781-2 (At the focal point)

Gastrectomy
Endoscopic sleeve gastroplasty: a potential endoscopic alternative to surgical sleeve gastrectomy for treatment of obesity (Abu Dayyeh et al). 2013;78:530-5 (New method: Clinical endoscopy)
Endoscopic submucosal dissection for early gastric cancer in the remnant stomach after gastrectomy (Nonaka et al). 2013;78:63-72 (Original article: Clinical endoscopy)

Gastric antral vascular ectasia
Radiofrequency ablation for refractory gastric antral vascular ectasia (with video) (McGorisk et al). 2013;78:584-8 (Original article: Clinical endoscopy)

Gastric antral web
Gastric antral web: a rare cause of gastric outlet obstruction treated with endoscopic therapy (Salah and Baron). 2013;78:450 (VideoGIE)

Gastric banding
Complete endoscopic/transgastric retrieval of eroded gastric band: a novel technique (Prathanvanich and Chand). 2013;78:816 (VideoGIE)

Gastric diseases; *see* Stomach diseases

Gastric outlet obstruction
Gastric antral web: a rare cause of gastric outlet obstruction treated with endoscopic therapy (Salah and Baron). 2013;78:450 (VideoGIE)
Gastric heterotopic pancreas abscess leading to gastric outlet obstruction (Hasan et al) (Letter). 2013;78:550-1
Individualization of metal stents for management of gastric outlet obstruction caused by distal stomach cancer: a prospective study (Shi et al). 2013;78:277-84 (Original article: Clinical endoscopy)
Long-term outcome of palliative therapy for gastric outlet obstruction caused by unresectable gastric cancer in patients with good performance status: endoscopic stenting versus surgery (No et al). 2013;78:55-62 (Original article: Clinical endoscopy)

Gastrointestinal neoplasms
Endoscopic tumor diagnosis and treatment (Gaddam and Edmundowicz). 2013;78:421-7 (DDW highlights)

Gastroparesis
Gastric peroral endoscopic myotomy for refractory gastroparesis: first human endoscopic pyloromyotomy (with video) (Khashab et al). 2013;78:764-8 (Thinking outside the box)

Gastroplasty
Endoscopic sleeve gastroplasty: a potential endoscopic alternative to surgical sleeve gastrectomy for treatment of obesity (Abu Dayyeh et al). 2013;78:530-5 (New method: Clinical endoscopy)

Genetic testing
The role of K-*ras* gene mutation analysis in EUS-guided FNA cytology specimens for the differential diagnosis of pancreatic solid masses: a meta-analysis of prospective studies (Fuccio et al). 2013;78:596-608 (Original article: Clinical endoscopy)

Glasgow-Blatchford score
Performance of the Glasgow-Blatchford score in predicting clinical outcomes and intervention in hospitalized patients with upper GI bleeding (Bryant et al). 2013;78:576-83 (Original article: Clinical endoscopy)

Guidelines
Endoscopic mucosal tissue sampling (ASGE Standards of Practice Committee) 2013;78:216-24. Correction 2013;78:673
Modifications in endoscopic practice for the elderly (ASGE Standards of Practice Committee) 2013;78:1-7. Correction 2013;78:559
Role of endoscopy in the staging and management of colorectal cancer (ASGE Standards of Practice Committee) 2013;78:8-12. Correction 2013;78:559

H

Haiku
Listen Carefully (Brandt). 2013;78:153 (The art of history and physical examination)

Harefield Cleansing Scale
Validation of the Harefield Cleansing Scale: a tool for the evaluation of bowel cleansing quality in both research and clinical practice (Halphen et al). 2013;78:121-31 (Original article: Clinical endoscopy)
Head and neck neoplasms
Endoscopic in vivo cellular imaging of superficial squamous cell carcinoma of the head and neck by using an integrated endocytoscopy system (with video) (Shimizu et al). 2013;78:351-8 (New method: Clinical endoscopy)
Heller myotomy
Laparoscopic Heller's myotomy versus pneumatic dilation in the treatment of idiopathic achalasia: a meta-analysis of randomized, controlled trials (Yaghoobi et al). 2013;78:468-75 (Original article: Clinical endoscopy)
Hemangioma, cavernous
Rectal cancer developing in the setting of a cavernous hemangioma of the rectosigmoid colon (Pola et al). 2013;78:575 (VideoGIE)
Hemorrhage and hemostasis
AIMS65 score predicts short-term mortality but not the need for intervention in acute upper GI bleeding (Chandra) (Letter); (Abougergi and Saltzman) (Response). 2013;78:381-3
Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms (Koh et al). 2013;78:476-83 (Original article: Clinical endoscopy)
Covered self-expandable biliary stents for the treatment of bleeding after ERCP (Valats et al). 2013;78:183-7 (Case study)
Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion (Nadal et al) (Letter). 2013;78:964-5
Cyanoacrylate spray for treatment of difficult-to-control GI bleeding (Walia et al). 2013;78:536-9 (New method: Clinical endoscopy)
Early diagnosis and management of delayed bleeding in the submucosal tunnel after peroral endoscopic myotomy for achalasia (with video) (Li et al). 2013;78:370-4 (Case study)
Early experience with a novel hemostatic powder used to treat upper GI bleeding related to malignancies or after therapeutic interventions (with videos) (Leblanc et al). 2013;78:169-75 (Case study)
Endoscopic treatment of acute variceal hemorrhage by using hemostatic powder TC-325: a prospective pilot study (Ibrahim et al). 2013;78:769-73 (New method: Clinical endoscopy)
Gastrointestinal bleeding (Dinis-Ribeiro). 2013;78:434-8 (DDW highlights)
Hemostatic powder as rescue therapy in a patient with H1N1 influenza with uncontrolled colon bleeding (Granata et al). 2013;78:451 (VideoGIE)
A multicenter, prospective, randomized comparison of a novel signal transmission capsule endoscope to an existing capsule endoscope (Choi et al). 2013;78:325-32 (Original article: Clinical endoscopy)
Nonsurgical treatment of actively bleeding internal hemorrhoids with a novel endoscopic device (with video) (Kantsevoy and Bitner). 2013;78:649-53 (New method: Clinical endoscopy)
Performance of the Glasgow-Blatchford score in predicting clinical outcomes and intervention in hospitalized patients with upper GI bleeding (Bryant et al). 2013;78:576-83 (Original article: Clinical endoscopy)
Prophylactic clip closure (Burgess et al) (Letter); (Rex) (Response). 2013;78:386-8
Risk stratification by using an esophageal capsule (Lin) (Letter); (Chandran and Testro) (Response). 2013;78:672-3
Scoring system in upper GI bleeding (Lin) (Letter); (Abougergi and Saltzman) (Response). 2013;78:557-8
Second-look endoscopy is not associated with better clinical outcomes after gastric endoscopic submucosal dissection: a prospective, randomized, clinical trial analyzed on an as-treated basis (Ryu et al). 2013;78:285-94 (Original article: Clinical endoscopy)
Snare tip soft coagulation achieves effective and safe endoscopic hemostasis during wide-field endoscopic resection of large colonic lesions (with videos) (Fahrtash-Bahin et al). 2013;78:158-63 (New method: Clinical endoscopy)
Through-the-scope Doppler US-guided cyanoacrylate injection: a new technique for the treatment of gastric variceal hemorrhage (Salah et al). 2013;78:574 (VideoGIE)
Hemorrhoids
Nonsurgical treatment of actively bleeding internal hemorrhoids with a novel endoscopic device (with video) (Kantsevoy and Bitner). 2013;78:649-53 (New method: Clinical endoscopy)
Hepaticoduodenostomy
Expanding indication: EUS-guided hepaticoduodenostomy for isolated right intrahepatic duct obstruction (with video) (Park et al). 2013;78:374-80 (Case study)

I

Ileal diseases
Endoscopic needle-knife therapy for ileal pouch sinus: a novel approach for the surgical adverse event (with video) (Wu et al). 2013;78:875-85 (Original article: Clinical endoscopy)
Polypoid lymphoid hyperplasia of the terminal ileum (Hsieh et al). 2013;78:944-5 (At the focal point)
Infection
An overview of fecal microbiota transplantation: techniques, indications, and outcomes (Brandt and Aroniadis). 2013;78:240-9
Sterile water in endoscopy: habit, opinion, or evidence (Agrawal and Rockey). 2013;78:150-2 (Perspectives)
Symptomatic bacterial contamination of an intragastric balloon (Madeira et al). 2013;78:360-1 (At the focal point)
Inflammatory bowel diseases
Endoscopic therapy in inflammatory bowel diseases (with videos) (Paine and Shen). 2013;78:819-35 (Technical review)
Influenza A virus, H1N1 subtype
Hemostatic powder as rescue therapy in a patient with H1N1 influenza with uncontrolled colon bleeding (Granata et al). 2013;78:451 (VideoGIE)
Insufflation
Carbon dioxide insufflation for colonoscopy (Lin) (Letter); (Chen and Hsieh) (Response). 2013;78:799-800
IntelliCap system
A novel ingestible electronic drug delivery and monitoring device (van der Schaar et al). 2013;78:520-8 (Original article: Experimental endoscopy)
Irrigation
Sterile water in endoscopy: habit, opinion, or evidence (Agrawal and Rockey). 2013;78:150-2 (Perspectives)

L

Lacerations
Severe laceration in a percutaneous endoscopic jejunostomy placement resolved with over-the-scope clips (Balmadrid and Ross). 2013;78:783-5 (At the focal point)
Lasers
Pancreatoscopy-guided intracorporeal laser lithotripsy for difficult pancreatic duct stones: a case series with prospective follow-up (with video) (Alatawi et al). 2013;78:179-83 (Case study)
US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation (Di Matteo et al). 2013;78:750-5 (Original article: Experimental endoscopy)
Learning curve
Learning curve of virtual chromoendoscopy for the prediction of hyperplastic and adenomatous colorectal lesions: a prospective 2-center study (Neumann et al). 2013;78:115-20 (Original article: Clinical endoscopy)
Leishmaniasis
Endoscopic appearance of duodenal mucosa in GI leishmaniasis (Samiullah et al) (Letter); (Salkic et al) (Response). 2013;78:962-3
Letters to the Editor
Acknowledging the first author and corresponding author of published work (Tang) (Letter). 2013;78:801-2
AIMS65 score predicts short-term mortality but not the need for intervention in acute upper GI bleeding (Chandra) (Letter); (Abougergi and Saltzman) (Response). 2013;78:381-3
Assessment of comfort during colonoscopy: a nurse- or patient-rated scale? (Ball and Riley) (Letter). 2013;78:668
Carbon dioxide insufflation for colonoscopy (Lin) (Letter); (Chen and Hsieh) (Response). 2013;78:799-800
Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion (Nadal et al) (Letter). 2013;78:964-5
Diagnostic yield of small-bowel capsule endoscopy in patients with iron deficiency anemia: does it affect management? (Sidhu et al) (Letter); (Koulaouzidis et al) (Response). 2013;78:800-1
Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms (Săftoiu and Vilmann) (Letter); (Dawwas et al) (Response). 2013;78:188-90
Endoscopes for endoscopists with small hands: a call to meet an unmet demand (Cappell and Co) (Letter). 2013;78:670-2
Endoscopically assisted suturing of a persistent gastrocutaneous fistula by using a site closure device (Vasant et al) (Letter). 2013;78:553-4
Endoscopic appearance of duodenal mucosa in GI leishmaniasis (Samiullah et al) (Letter); (Salkic et al) (Response). 2013;78:962-3
Endoscopic diagnosis of celiac disease: what is the role of capsule endoscopy? (Tursi) (Letter). 2013;78:381
Endoscopic treatment of Zenker's diverticula (Köksal et al) (Letter); (Huberty and Devière) (Response). 2013;78:668-9

Endoscopic treatment of Zenker's diverticulum: do we always need endoclips? (Manno et al) (Letter); (Huberty and Devière) (Response). 2013;78:556-7

Gastric heterotopic pancreas abscess leading to gastric outlet obstruction (Hasan et al) (Letter). 2013;78:550-1

Initial experience of a through-the-scope balloon device for ileal intubation in Crohn's disease (Rubin and Goeppinger) (Letter). 2013;78:669-70

The "Lasso" technique: snare-assisted endoscopic-radiological rendezvous technique for the management of complete transection of the main bile duct (Ödemi et al) (Letter). 2013;78:554-6

The metallic silver sign with narrow-band imaging: a new endoscopic predictor for pharyngeal and esophageal neoplasia (Maselli et al) (Letter). 2013;78:551-3

From the pathologist: review of sexual behaviors should be a routine component of clinical histories (Arnold et al). 2013;78:385-6

Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5

Postablative stricture formation in ultra-long-segment Barrett's esophagus (Manickam and Kanaan) (Letter); (Dulai et al) (Response). 2013;78:191

Prophylactic clip closure (Burgess et al) (Letter); (Rex) (Response). 2013;78:386-8

Rapid intraluminal growth of a colorectal cancer observed by endoscopy (Vemulapalli and Rex). 2013;78:802-3

Removing in situ esophageal stents (Baptista et al) (Letter); (van Halsema and van Hooft) (Response). 2013;78:192

Risk stratification by using an esophageal capsule (Lin) (Letter); (Chandran and Testro) (Response). 2013;78:672-3

Scoring system in upper GI bleeding (Lin) (Letter); (Abougergi and Saltzman) (Response). 2013;78:557-8

A technique for skin-level gastrostomy tube placement after gastrostomy tube dislodgement (Freedberg et al) (Letter). 2013;78:963-4

Leukemia

Acute lymphoblastic leukemia with gastric involvement initially diagnosed by endoscopy and EUS (Park et al). 2013;78:655-6 (At the focal point)

Lithotripsy

Long-term clinical outcomes of extracorporeal shockwave lithotripsy in painful chronic calcific pancreatitis (Tandan et al). 2013;78:726-33 (Original article: Clinical endoscopy)

Pancreatoscopy-guided intracorporeal laser lithotripsy for difficult pancreatic duct stones: a case series with prospective follow-up (with video) (Alatawi et al). 2013;78:179-83 (Case study)

Liver diseases

EUS-guided drainage of liver abscess by using a lumen-apposing metal stent (with video) (Alcaide et al). 2013;78:941-2 (At the focal point)

Lung neoplasms

Large-cell neuroendocrine lung tumor presenting as acute pancreatitis (Dinis Silva et al). 2013;78:782-3 (At the focal point)

Lymphoma, T-cell

Enteropathy-associated T-cell lymphoma diagnosed and followed-up by using double-balloon enteroscopy (Fukushima et al). 2013;78:361-3 (At the focal point)

M

Magnetics

Magnets in the GI tract (ASGE Technology Committee). 2013;78:561-7 (Report on emerging technology)

Magnifying endoscopy with narrow-band imaging

Magnification narrow-band imaging for the diagnosis of early gastric cancer: a review of the Japanese literature for the Western endoscopist (Hayee et al). 2013;78:452-61 (Review article)

Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis (Tanaka et al). 2013;78:659-64 (Case study)

Medical history taking

From the pathologist: review of sexual behaviors should be a routine component of clinical histories (Arnold et al). 2013;78:385-6

Melanoma

Endoscopic submucosal dissection for primary malignant esophageal melanoma (with video) (Eleftheriadis et al). 2013;78:359-60 (At the focal point)

Endoscopic view of malignant melanoma of the rectum (Doran). 2013;78:785-6 (At the focal point)

Metabolomics

Metabolomic-derived novel cyst fluid biomarkers for pancreatic cysts: glucose and kynurenine (Park et al). 2013;78:295-302 (Original article: Clinical endoscopy)

Methoxyflurane

Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial (Nguyen et al). 2013;78:892-901 (Original article: Clinical endoscopy)

Microbiology

Microbiologic analysis of peri-pancreatic fluid collected during EUS in patients with pancreatitis: impact on antibiotic therapy (Negm et al). 2013;78:303-11 (Original article: Clinical endoscopy)

Mucous membrane

Endoscopic mucosal tissue sampling (ASGE Standards of Practice Committee) 2013;78:216-24 (Guideline). Correction 2013;78:673

Multidetector computed tomography

Use of EUS-FNA in diagnosing pancreatic neoplasm without a definitive mass on CT (Wang et al). 2013;78:73-80 (Original article: Clinical endoscopy)

N

Narrow-band imaging (NBI)

Accuracy of narrow-band imaging in predicting colonoscopy surveillance intervals and histology of distal diminutive polyps: results from a multicenter, prospective trial (Repici et al). 2013;78:106-14 (Original article: Clinical endoscopy)

Endoscopic prediction of deep submucosal invasive carcinoma: validation of the Narrow-Band Imaging International Colorectal Endoscopic (NICE) classification (Hayashi et al). 2013;78:625-32 (Original article: Clinical endoscopy)

Magnification narrow-band imaging for the diagnosis of early gastric cancer: a review of the Japanese literature for the Western endoscopist (Hayee et al). 2013;78:452-61 (Review article)

The metallic silver sign with narrow-band imaging: a new endoscopic predictor for pharyngeal and esophageal neoplasia (Maselli et al) (Letter). 2013;78:551-3

Narrow-band imaging in the prediction of submucosal invasive colon cancer: how "NICE" is it? (Wani and Rastogi). 2013;78:633-6 (Editorial)

Narrow-band imaging magnifying endoscopy in adult patients with eosinophilic esophagitis/esophageal eosinophilia and lymphocytic esophagitis (Tanaka et al). 2013;78:659-64 (Case study)

Not so NICE to be serrated (Wallace). 2013;78:910-1 (Editorial)

Optical biopsy of sessile serrated adenomas: do these lesions resemble hyperplastic polyps under narrow-band imaging? (Kumar et al). 2013;78:902-9 (Original article: Clinical endoscopy)

Natural orifice transluminal endoscopic surgery (NOTES)

Minimally invasive autopsy by using postmortem endoluminal and transluminal endoscopy and EUS (Denzer et al). 2013;78:774-80 (New method: Experimental endoscopy)

Needle-knife therapy

Endoscopic needle-knife therapy for ileal pouch sinus: a novel approach for the surgical adverse event (with video) (Wu et al). 2013;78:875-85 (Original article: Clinical endoscopy)

Neoplasm staging

Role of endoscopy in the staging and management of colorectal cancer (ASGE Standards of Practice Committee) 2013;78:8-12 (Guideline). Correction 2013;78:559

Neuroendocrine tumors

Large-cell neuroendocrine lung tumor presenting as acute pancreatitis (Dinis Silva et al). 2013;78:782-3 (At the focal point)

Nursing assessment

Assessment of comfort during colonoscopy: a nurse- or patient-rated scale? (Ball and Riley) (Letter). 2013;78:668

O

Omentum

Epithelialized omental patch masquerading as a duodenal lipoma (Sagi et al). 2013;78:363-4 (At the focal point)

Optical coherence tomography

Enhanced imaging in the GI tract: spectroscopy and optical coherence tomography (ASGE Technology Committee). 2013;78:568-73 (Report on emerging technology)

P

Pacemaker, artificial

An update on the management of implanted cardiac devices during electrosurgical procedures (Parekh et al). 2013;78:836-41 (Review article)

Pain

Assessment of comfort during colonoscopy: a nurse- or patient-rated scale? (Ball and Riley) (Letter). 2013;78:668

Long-term clinical outcomes of extracorporeal shockwave lithotripsy in painful chronic calcific pancreatitis (Tandan et al). 2013;78:726-33 (Original article: Clinical endoscopy)

Pancreatic cyst or pseudocyst

Acute pancreatitis complicated by an abdominal mass (Anastassiades and Faulx). 2013;78:541-2 (At the focal point)

Metabolomic-derived novel cyst fluid biomarkers for pancreatic cysts: glucose and kynurenine (Park et al). 2013;78:295-302 (Original article: Clinical endoscopy)
Outcomes of EUS-guided drainage of debris-containing pancreatic pseudocysts by using combined endoprosthesis and a nasocystic drain (Siddiqui et al). 2013;78:589-95 (Original article: Clinical endoscopy)

Pancreatic diseases
A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video) (Sasahira et al). 2013;78:925-9 (New method: Clinical endoscopy)
Pancreatoscopy-guided intracorporeal laser lithotripsy for difficult pancreatic duct stones: a case series with prospective follow-up (with video) (Alatawi et al). 2013;78:179-83 (Case study)
Peroral pancreatoscopy via the minor papilla for diagnosis and therapy of pancreatic diseases (Brauer et al). 2013;78:545-9 (Case study)

Pancreatic ducts
EUS-guided pancreatic duct drainage: ready for prime time? (Giovannini). 2013;78:865-7 (Editorial)
EUS-guided pancreatic duct intervention: outcomes of a single tertiary-care referral center experience (Fujii et al). 2013;78:854-64 (Original article: Clinical endoscopy)

Pancreatic neoplasms
Differential diagnosis of focal pancreatic masses by semiquantitative EUS elastography: between strain ratios and strain histograms (Săftoiu and Vilmann) (Letter); (Dawwas et al) (Response). 2013;78:188-90
EUS-guided biliary drainage by using a hepatogastrostomy approach (Khashab et al). 2013;78:675 (VideoGIE)
Perivascular epithelioid cell tumor: an unusual pancreatic mass diagnosed by EUS-FNA (Al-Haddad et al). 2013;78:165-7 (At the focal point)
Pulmonary embolism diagnosed with EUS on a patient with adenocarcinoma of the pancreas (with video) (Tee et al). 2013;78:542-3 (At the focal point)
The role of K-*ras* gene mutation analysis in EUS-guided FNA cytology specimens for the differential diagnosis of pancreatic solid masses: a meta-analysis of prospective studies (Fuccio et al). 2013;78:596-608 (Original article: Clinical endoscopy)
Use of EUS-FNA in diagnosing pancreatic neoplasm without a definitive mass on CT (Wang et al). 2013;78:73-80 (Original article: Clinical endoscopy)
US-guided application of Nd:YAG laser in porcine pancreatic tissue: an ex vivo study and numerical simulation (Di Matteo et al). 2013;78:750-5 (Original article: Experimental endoscopy)

Pancreatitis
Acute pancreatitis complicated by an abdominal mass (Anastassiades and Faulx). 2013;78:541-2 (At the focal point)
Large-cell neuroendocrine lung tumor presenting as acute pancreatitis (Dinis Silva et al). 2013;78:782-3 (At the focal point)
Long-term clinical outcomes of extracorporeal shockwave lithotripsy in painful chronic calcific pancreatitis (Tandan et al). 2013;78:726-33 (Original article: Clinical endoscopy)
Microbiologic analysis of peri-pancreatic fluid collected during EUS in patients with pancreatitis: impact on antibiotic therapy (Negm et al). 2013;78:303-11 (Original article: Clinical endoscopy)
A novel basket catheter to facilitate endoscopic removal of pancreatic stones (with video) (Sasahira et al). 2013;78:925-9 (New method: Clinical endoscopy)
Preventing post-ERCP pancreatitis (Enns and Lee). 2013;78:851-3 (Editorial)
Results of the Tokyo Trial of Prevention of Post-ERCP Pancreatitis with Risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial (Uchino et al). 2013;78:842-50 (Original article: Clinical endoscopy)

Papilloma
Endoscopic resection of hilar papillomatosis after Whipple procedure for ampullary adenoma (Law et al). 2013;78:226 (VideoGIE)

Pediatric patient; *see* Child

Peer review
How to review (Sonnenberg and Boardman). 2013;78:343-5 (The Fellows' Corner)

Perivascular epithelioid cell neoplasms
Perivascular epithelioid cell tumor: an unusual pancreatic mass diagnosed by EUS-FNA (Al-Haddad et al). 2013;78:165-7 (At the focal point)

Peroral endoscopic myotomy (POEM)
Early diagnosis and management of delayed bleeding in the submucosal tunnel after peroral endoscopic myotomy for achalasia (with video) (Li et al). 2013;78:370-4 (Case study)
Effect of peroral endoscopic myotomy on esophagogastric junction physiology in patients with achalasia (Verlaan et al). 2013;78:39-44 (Original article: Clinical endoscopy)
Gastric peroral endoscopic myotomy for refractory gastroparesis: first human endoscopic pyloromyotomy (with video) (Khashab et al). 2013;78:764-8 (Thinking outside the box)
POEM: Way to go! (Swanstrom). 2013;78:45-6 (Editorial)
In vivo observation of aberrant innermost longitudinal muscle bundles in front of the circular muscle layer at the level of the esophagogastric junction during peroral endoscopic myotomy (Eleftheriadis et al). 2013;78:676 (VideoGIE)

Peroral pancreatoscopy
Peroral pancreatoscopy via the minor papilla for diagnosis and therapy of pancreatic diseases (Brauer et al). 2013;78:545-9 (Case study)

Pharyngeal neoplasms
Feasibility of a "resect and watch" strategy with endoscopic resection for superficial pharyngeal cancer (Imai et al). 2013;78:22-9 (Original article: Clinical endoscopy)
The metallic silver sign with narrow-band imaging: a new endoscopic predictor for pharyngeal and esophageal neoplasia (Maselli et al) (Letter). 2013;78:551-3
The pharynx: examination of an area too often ignored during upper endoscopy (Emura et al). 2013;78:143-9 (Thinking outside the box)

Physician's practice patterns
The essence of management of Barrett's esophagus (Wang). 2013;78:702-3 (Editorial)
Practice patterns among U.S. gastroenterologists regarding endoscopic management of Barrett's esophagus (Singh et al). 2013;78:689-95 (Original article: Clinical endoscopy)
A survey of expert follow-up practices after successful endoscopic eradication therapy for Barrett's esophagus with high-grade dysplasia and intramucosal adenocarcinoma (Bedi et al). 2013;78:696-701 (Original article: Clinical endoscopy)

POEM; *see* Peroral endoscopic myotomy (POEM)

Polyethylene glycols
Sugar-free menthol candy drops improve the palatability and bowel cleansing effect of polyethylene glycol electrolyte solution (Sharara et al). 2013;78:886-91 (Original article: Clinical endoscopy)

Polyps; *see also* Adenoma; Colorectal neoplasms
Accuracy of narrow-band imaging in predicting colonoscopy surveillance intervals and histology of distal diminutive polyps: results from a multicenter, prospective trial (Repici et al). 2013;78:106-14 (Original article: Clinical endoscopy)
The gallbladder polyp conundrum: a riddler on the wall (Maydeo and Dhir). 2013;78:494-5 (Editorial)
Non-lifting sign from cold biopsy of sessile serrated polyp (Sweetser and Baron). 2013;78:167-8 (At the focal point)
Not so NICE to be serrated (Wallace). 2013;78:910-1 (Editorial)
Optical biopsy of sessile serrated adenomas: do these lesions resemble hyperplastic polyps under narrow-band imaging? (Kumar et al). 2013;78:902-9 (Original article: Clinical endoscopy)
Polypoid lymphoid hyperplasia of the terminal ileum (Hsieh et al). 2013;78:944-5 (At the focal point)
Prophylactic clip closure (Burgess et al) (Letter); (Rex) (Response). 2013;78:386-8
Relationship of colonoscopy-detected serrated polyps with synchronous advanced neoplasia in average-risk individuals (Álvarez et al). 2013;78:333-41 (Original article: Clinical endoscopy)
Utility of contrast-enhanced harmonic EUS in the diagnosis of malignant gallbladder polyps (with videos) (Choi et al). 2013;78:484-93 (Original article: Clinical endoscopy)

Portal vein
Biliary stricture secondary to portal biliopathy (D'Souza et al). 2013;78:942-4 (At the focal point)
Massive hepatic portal venous gas and gastric pneumatosis secondary to gastric ischemia (Pineda Bonilla et al). 2013;78:540-1 (At the focal point)

Pouch sinus
Endoscopic needle-knife therapy for ileal pouch sinus: a novel approach for the surgical adverse event (with video) (Wu et al). 2013;78:875-85 (Original article: Clinical endoscopy)

Prolapse
The annual tree ring sign: a new endoscopic finding of mucosal prolapse syndrome (Ninomiya et al). 2013;78:657-8 (At the focal point)

Publications
Acknowledging the first author and corresponding author of published work (Tang) (Letter). 2013;78:801-2

Pulmonary embolism
Pulmonary embolism diagnosed with EUS on a patient with adenocarcinoma of the pancreas (with video) (Tee et al). 2013;78:542-3 (At the focal point)

Pyloromyotomy
Gastric peroral endoscopic myotomy for refractory gastroparesis: first human endoscopic pyloromyotomy (with video) (Khashab et al). 2013;78:764-8 (Thinking outside the box)

Q

Quality improvement
Colonoscopy quality improvement: practice to public health (Richter). 2013;78:919-24 (Perspectives)

Questionnaires
The essence of management of Barrett's esophagus (Wang). 2013;78:702-3 (Editorial)
Practice patterns among U.S. gastroenterologists regarding endoscopic management of Barrett's esophagus (Singh et al). 2013;78:689-95 (Original article: Clinical endoscopy)
A survey of expert follow-up practices after successful endoscopic eradication therapy for Barrett's esophagus with high-grade dysplasia and intramucosal adenocarcinoma (Bedi et al). 2013;78:696-701 (Original article: Clinical endoscopy)

R

Radiofrequency ablation; *see* Ablation techniques

Rectal neoplasms; *see also* Colorectal neoplasms
Endoscopic view of malignant melanoma of the rectum (Doran). 2013;78:785-6 (At the focal point)
Novel method of stent insertion for malignant lower rectal obstruction with proximal releasing delivery system (Lee et al). 2013;78:930-3 (New method: Clinical endoscopy)
Prospective, randomized comparison of a prototype endoscope with deflecting working channels versus a conventional double-channel endoscope for rectal endoscopic submucosal dissection in an established experimental simulation model (with video) (Jung et al). 2013;78:756-62 (Original article: Experimental endoscopy)
Rectal cancer developing in the setting of a cavernous hemangioma of the rectosigmoid colon (Pola et al). 2013;78:575 (VideoGIE)

Risk assessment
AIMS65 score predicts short-term mortality but not the need for intervention in acute upper GI bleeding (Chandra) (Letter); (Abougergi and Saltzman) (Response). 2013;78:381-3
Risk stratification by using an esophageal capsule (Lin) (Letter); (Chandran and Testro) (Response). 2013;78:672-3
Scoring system in upper GI bleeding (Lin) (Letter); (Abougergi and Saltzman) (Response). 2013;78:557-8

Risperidone
Preventing post-ERCP pancreatitis (Enns and Lee). 2013;78:851-3 (Editorial)
Results of the Tokyo Trial of Prevention of Post-ERCP Pancreatitis with Risperidone-2: a multicenter, randomized, placebo-controlled, double-blind clinical trial (Uchino et al). 2013;78:842-50 (Original article: Clinical endoscopy)

S

Secondary care
The essence of management of Barrett's esophagus (Wang). 2013;78:702-3 (Editorial)
A survey of expert follow-up practices after successful endoscopic eradication therapy for Barrett's esophagus with high-grade dysplasia and intramucosal adenocarcinoma (Bedi et al). 2013;78:696-701 (Original article: Clinical endoscopy)

Second-look surgery
Second-look endoscopy is not associated with better clinical outcomes after gastric endoscopic submucosal dissection: a prospective, randomized, clinical trial analyzed on an as-treated basis (Ryu et al). 2013;78:285-94 (Original article: Clinical endoscopy)

Sedation
Patient-controlled analgesia with inhaled methoxyflurane versus conventional endoscopist-provided sedation for colonoscopy: a randomized multicenter trial (Nguyen et al). 2013;78:892-901 (Original article: Clinical endoscopy)

Sexual behavior
From the pathologist: review of sexual behaviors should be a routine component of clinical histories (Arnold et al). 2013;78:385-6

Single-balloon enteroscopy (SBE)
Capsule endoscopy and deep enteroscopy (Gerson). 2013;78:439-43 (DDW highlights)
Severe laceration in a percutaneous endoscopic jejunostomy placement resolved with over-the-scope clips (Balmadrid and Ross). 2013;78:783-5 (At the focal point)

Sodium picosulfate and magnesium citrate (P/MC)
Split-dose administration of a dual-action, low-volume bowel cleanser for colonoscopy: the SEE CLEAR I study (Rex et al). 2013;78:132-41 (Original article: Clinical endoscopy)

Spectroscopy
Enhanced imaging in the GI tract: spectroscopy and optical coherence tomography (ASGE Technology Committee). 2013;78:568-73 (Report on emerging technology)

Stents
Comparison of the utility of covered metal stents versus uncovered metal stents in the management of malignant biliary strictures in 749 patients (Lee et al). 2013;78:312-24 (Original article: Clinical endoscopy)
Covered self-expandable biliary stents for the treatment of bleeding after ERCP (Valats et al). 2013;78:183-7 (Case study)
Endoscopic management of acute cholecystitis after metal stent placement in patients with malignant biliary obstruction: a case series (Saxena et al). 2013;78:175-8 (Case study)
Enteral stents: from esophagus to colon (Kochar and Shah). 2013;78:913-8 (The Fellows' Corner)
EUS-guided biliary drainage by using a hepatogastrostomy approach (Khashab et al). 2013;78:675 (VideoGIE)
EUS-guided biliary drainage by using a standardized approach for malignant biliary obstruction: rendezvous versus direct transluminal techniques (with videos) (Khashab et al). 2013;78:734-41 (Original article: Clinical endoscopy)
EUS-guided biliary drainage: taxing and not ready (Varadarajulu and Hawes). 2013;78:742-3 (Editorial)
EUS-guided drainage of liver abscess by using a lumen-apposing metal stent (with video) (Alcaide et al). 2013;78:941-2 (At the focal point)
EUS-guided pancreatic duct drainage: ready for prime time? (Giovannini). 2013;78:865-7 (Editorial)
EUS-guided pancreatic duct intervention: outcomes of a single tertiary-care referral center experience (Fujii et al). 2013;78:854-64 (Original article: Clinical endoscopy)
Fully covered self-expandable metal stents for treatment of benign biliary strictures (Kaffes and Liu). 2013;78:13-21 (Review article)
Individualization of metal stents for management of gastric outlet obstruction caused by distal stomach cancer: a prospective study (Shi et al). 2013;78:277-84 (Original article: Clinical endoscopy)
Long-term outcome of palliative therapy for gastric outlet obstruction caused by unresectable gastric cancer in patients with good performance status: endoscopic stenting versus surgery (No et al). 2013;78:55-62 (Original article: Clinical endoscopy)
Novel EUS-guided gastrojejunostomy technique using a new double-balloon enteric tube and lumen-apposing metal stent (with videos) (Itoi et al). 2013;78:934-9 (New method: Experimental endoscopy)
Novel method of stent insertion for malignant lower rectal obstruction with proximal releasing delivery system (Lee et al). 2013;78:930-3 (New method: Clinical endoscopy)
Outcomes of EUS-guided drainage of debris-containing pancreatic pseudocysts by using combined endoprosthesis and a nasocystic drain (Siddiqui et al). 2013;78:589-95 (Original article: Clinical endoscopy)
Percutaneous balloon dilation and placement of endoscopic biliary stent by using the double-balloon enteroscopy ERCP rendezvous technique (Mönkemüller et al) (Letter). 2013;78:383-5
Removing in situ esophageal stents (Baptista et al) (Letter); (van Halsema and van Hooft) (Response). 2013;78:192
Tools for endoscopic stricture dilation (ASGE Technology Committee). 2013;78:391-404 (Status evaluation report)
Trimming a covered metal stent during hepaticogastrostomy by using argon plasma coagulation (Hamada et al). 2013;78:817 (VideoGIE)
Utility of an endoscopic suturing system for prevention of covered luminal stent migration in the upper GI tract (Fujii et al). 2013;78:787-93 (Case study)

Steroids
Control of severe strictures after circumferential endoscopic submucosal dissection for esophageal carcinoma: oral steroid therapy with balloon dilation or balloon dilation alone (Sato et al). 2013;78:250-7 (Original article: Clinical endoscopy)
Esophageal strictures after extensive endoscopic resection: hope for a better outcome? (Deprez). 2013;78:258-9 (Editorial)

Stomach diseases
Acute lymphoblastic leukemia with gastric involvement initially diagnosed by endoscopy and EUS (Park et al). 2013;78:655-6 (At the focal point)
Cyanoacrylate injection to treat recurrent bleeding from Dieulafoy's lesion (Nadal et al) (Letter). 2013;78:964-5
EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5 (Editorial)
EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos) (Romero-Castro et al). 2013;78:711-21 (Original article: Clinical endoscopy)
Gastric heterotopic pancreas abscess leading to gastric outlet obstruction (Hasan et al) (Letter). 2013;78:550-1
Intramural gastric abscess from dropped gallstones presenting as a subepithelial lesion (with video) (Chen et al). 2013;78:781-2 (At the focal point)
Massive hepatic portal venous gas and gastric pneumatosis secondary to gastric ischemia

(Pineda Bonilla et al). 2013;78:540-1 (At the focal point)
Symptomatic bacterial contamination of an intragastric balloon (Madeira et al). 2013;78:360-1 (At the focal point)

Stomach neoplasms
Antithrombotic drugs are risk factors for delayed postoperative bleeding after endoscopic submucosal dissection for gastric neoplasms (Koh et al). 2013;78:476-83 (Original article: Clinical endoscopy)
Clinical outcomes of early gastric cancer with lateral margin positivity after endoscopic submucosal dissection (Han et al). 2013;78:956-61 (Case study)
Double-endoscope endoscopic submucosal dissection for the treatment of early gastric cancer accompanied by an ulcer scar (with video) (Higuchi et al). 2013;78:266-73 (Original article: Clinical endoscopy)
Dual-scope endoscopic deep dissection of proximal gastric tumors (with video) (Fujii et al). 2013;78:365-9 (Case study)
En bloc resection of large gastric submucosal tumor with endoscopic submucosal dissection (Wang et al). 2013;78:940-1 (At the focal point)
Endoscopic submucosal dissection for early gastric cancer in the remnant stomach after gastrectomy (Nonaka et al). 2013;78:63-72 (Original article: Clinical endoscopy)
Gastric carcinoma with lymphoid stroma resembling a hypoechoic submucosal tumor (Matsumoto et al). 2013;78:164-5 (At the focal point)
Individualization of metal stents for management of gastric outlet obstruction caused by distal stomach cancer: a prospective study (Shi et al). 2013;78:277-84 (Original article: Clinical endoscopy)
Long-term outcome of palliative therapy for gastric outlet obstruction caused by unresectable gastric cancer in patients with good performance status: endoscopic stenting versus surgery (No et al). 2013;78:55-62 (Original article: Clinical endoscopy)
Magnification narrow-band imaging for the diagnosis of early gastric cancer: a review of the Japanese literature for the Western endoscopist (Hayee et al). 2013;78:452-61 (Review article)
Second-look endoscopy is not associated with better clinical outcomes after gastric endoscopic submucosal dissection: a prospective, randomized, clinical trial analyzed on an as-treated basis (Ryu et al). 2013;78:285-94 (Original article: Clinical endoscopy)
What we want for ESD is a second hand! Traction method (Fukami). 2013;78:274-6 (Editorial)

Suture techniques
Endoscopically assisted suturing of a persistent gastrocutaneous fistula by using a site closure device (Vasant et al) (Letter). 2013;78:553-4
Process of wound healing of large mucosal defect areas that were sutured by using a loop clip–assisted closure technique after endoscopic submucosal dissection of a colorectal tumor (Osada et al). 2013;78:793-8 (Case study)
Utility of an endoscopic suturing system for prevention of covered luminal stent migration in the upper GI tract (Fujii et al). 2013;78:787-93 (Case study)

T

Technology, medical
Electrosurgical generators (ASGE Technology Committee). 2013;78:197-208 (Technology status evaluation report)
Endoscopic innovations (Hawes). 2013;78:410-3 (DDW highlights)
Enhanced imaging in the GI tract: spectroscopy and optical coherence tomography (ASGE Technology Committee). 2013;78:568-73 (Report on emerging technology)
Magnets in the GI tract (ASGE Technology Committee). 2013;78:561-7 (Report on emerging technology)
Tissue adhesives: cyanoacrylate glue and fibrin sealant (ASGE Technology Committee). 2013;78:209-15 (Technology status evaluation report)
Tools for endoscopic stricture dilation (ASGE Technology Committee). 2013;78:391-404 (Status evaluation report)
Wireless capsule endoscopy (ASGE Technology Committee). 2013;78:805-15

Thrombosis
Biliary stricture secondary to portal biliopathy (D'Souza et al). 2013;78:942-4 (At the focal point)
Left atrial thrombus incidentally discovered during EUS (Johal et al). 2013;78:544 (At the focal point)

Tissue adhesives
Tissue adhesives: cyanoacrylate glue and fibrin sealant (ASGE Technology Committee). 2013;78:209-15 (Technology status evaluation report)

Training; *see* Continuing Medical Education Activity; Education, medical

U

Ulcer
Double-endoscope endoscopic submucosal dissection for the treatment of early gastric cancer accompanied by an ulcer scar (with video) (Higuchi et al). 2013;78:266-73 (Original article: Clinical endoscopy)
Epithelialized omental patch masquerading as a duodenal lipoma (Sagi et al). 2013;78:363-4 (At the focal point)
What we want for ESD is a second hand! Traction method (Fukami). 2013;78:274-6 (Editorial)

V

Varices
Endoscopic treatment of acute variceal hemorrhage by using hemostatic powder TC-325: a prospective pilot study (Ibrahim et al). 2013;78:769-73 (New method: Clinical endoscopy)
EUS-guided angiotherapy for gastric varices: coil, glue, and sticky issues (Levy and Wong Kee Song). 2013;78:722-5 (Editorial)
EUS-guided coil versus cyanoacrylate therapy for the treatment of gastric varices: a multicenter study (with videos) (Romero-Castro et al). 2013;78:711-21 (Original article: Clinical endoscopy)
Through-the-scope Doppler US-guided cyanoacrylate injection: a new technique for the treatment of gastric variceal hemorrhage (Salah et al). 2013;78:574 (VideoGIE)

Video-audio media
VideoGIE – Launch! (Eisen et al). 2013;78:225 (Editorial)

W

Warfarin
Novel oral anticoagulants in gastroenterology practice (Desai et al). 2013;78:227-39 (Review article)

Water, sterile
Sterile water in endoscopy: habit, opinion, or evidence (Agrawal and Rockey). 2013;78:150-2 (Perspectives)

Wireless technology
Wireless capsule endoscopy (ASGE Technology Committee). 2013;78:805-15

Wound healing
Process of wound healing of large mucosal defect areas that were sutured by using a loop clip–assisted closure technique after endoscopic submucosal dissection of a colorectal tumor (Osada et al). 2013;78:793-8 (Case study)

Z

Zenker diverticulum
Endoscopic treatment of Zenker's diverticula (Köksal et al) (Letter); (Huberty and Devière) (Response). 2013;78:668-9
Endoscopic treatment of Zenker's diverticulum: do we always need endoclips? (Manno et al) (Letter); (Huberty and Devière) (Response). 2013;78:556-7
New endoscopic "scissors" to treat Zenker's diverticulum (Ramchandani and Reddy). 2013;78:645-8 (New method: Clinical endoscopy)